




Kanlux



**NEW
PRODUCTS**


AUTUMN 2017

2




TECHNICAL
LUMINAIRES

12




DOMESTIC
LIGHTING

30



LIGHT
SOURCES

42



WIRING
ACCESSORIES

54

miLEDo

MILED0 products are available on
PL/CZ/SK/HU/RO/BG/LT/LV/UA markets



WWW.KANLUX.COM

Download on the
App Store




GET IT ON
Google Play



EN

Kanlux



**TECHNICAL
LUMINAIRES**



POWER



TYPE OF LIGHT SOURCE



COLOUR TEMPERATURE



LUMINOUS FLUX



LIFETIME

IP

DEGREE OF RESISTANCE TO PENETRATION OF FOREIGN SOLIDS, DUST AND HUMIDITY

IK

DEGREE OF PROTECTION AGAINST MECHANICAL IMPACTS



COLOUR



MOTION SENSOR




REPLACEABLE / NON-REPLACEABLE LIGHT SOURCE



TYPE OF STABILIZING-LIGHT UP DEVICE



CLASS OF PROTECTION AGAINST ELECTRICAL SHOCK



ALDO 4LED 1X60

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 26360

EAN 5905339263605

MAX 18W

G13

T8 LED

casing, diffuser: alloy of ferrous metals

IP 20



WHITE

ALDO 4LED 1X60R

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 26370

EAN 5905339263704

MAX 18W

G13

T8 LED

casing, diffuser: alloy of ferrous metals

IP 20



WHITE

ALDO 4LED 1X120

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 26361

EAN 5905339263612

MAX 36W

G13

T8 LED

casing, diffuser: alloy of ferrous metals

IP 20



WHITE

ALDO 4LED 1X120R

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 26371

EAN 5905339263711

MAX 36W

G13

T8 LED

casing, diffuser: alloy of ferrous metals

IP 20



WHITE

ALDO 4LED 1X150

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 26362

EAN 5905339263629

MAX 58W

G13

T8 LED

casing, diffuser: alloy of ferrous metals

IP 20



WHITE

ALDO 4LED 1X150R

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 26372

EAN 5905339263728

MAX 58W

G13

T8 LED

casing, diffuser: alloy of ferrous metals

IP 20



WHITE

ALDO 4LED 2X60

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 26363

EAN 5905339263636



casing, diffuser: alloy of ferrous metals

IP 20



WHITE

ALDO 4LED 2X60R

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 26373

EAN 5905339263735



casing, diffuser: alloy of ferrous metals

IP 20



WHITE

ALDO 4LED 2X120

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 26364

EAN 5905339263643



casing, diffuser: alloy of ferrous metals

IP 20



WHITE

ALDO 4LED 2X120R

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 26374

EAN 5905339263742



casing, diffuser: alloy of ferrous metals

IP 20



WHITE

ALDO 4LED 2X150

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 26365

EAN 5905339263650



casing, diffuser: alloy of ferrous metals

IP 20



WHITE

ALDO 4LED 2X150R

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 26375

EAN 5905339263759



casing, diffuser: alloy of ferrous metals

IP 20



WHITE

ARTO 1L-SR



LIGHT FIXTURE FOR RECESSED INSTALLATION

12V

index 26611
base plate: steel sheet

EAN 5905339266118

MAX 35W

G53

AR-111

IP 20



15°

SILVER

ARTO 1L-W



LIGHT FIXTURE FOR RECESSED INSTALLATION

12V

index 26610
base plate: steel sheet

EAN 5905339266101

MAX 35W

G53

AR-111

IP 20



15°

WHITE

ARTO 10-SR



LIGHT FIXTURE FOR RECESSED INSTALLATION

12V

index 26613
base plate: steel sheet

EAN 5905339266132

MAX 35W

G53

AR-111

IP 20



15°

SILVER

ARTO 10-W



LIGHT FIXTURE FOR RECESSED INSTALLATION

12V

index 26612
base plate: steel sheet

EAN 5905339266125

MAX 35W

G53

AR-111


IP 20



15°

WHITE

ARTO 2L-SR



LIGHT FIXTURE FOR RECESSED INSTALLATION

12V

index 26614
base plate: steel sheet

EAN 5905339266149

2XMAX 35W

G53

AR-111

IP 20



15°

SILVER

ARTO 2L-W



LIGHT FIXTURE FOR RECESSED INSTALLATION

12V

index 26615
base plate: steel sheet

EAN 5905339266156

2XMAX 35W

G53

AR-111

IP 20



15°

WHITE

ARTO 3L-SR

12V

LIGHT FIXTURE FOR RECESSED INSTALLATION



index 26616

EAN 5905339266163



base plate: steel sheet

IP 20



ARTO 3L-W

12V

LIGHT FIXTURE FOR RECESSED INSTALLATION



index 26617

EAN 5905339266170



base plate: steel sheet


IP 20



AVAR 6060 40W-NW

220-240V-;
50/60HZ

LED FRAME




index 26770

EAN 5905339267702



casing: aluminium alloy / panel:
plastic

IP 20



DABA N LED SMD DL-16W

220-240V-;
50/60HZ

LED LIGHT FIXTURE WITH A MOTION SENSOR



index 19062

EAN 5905339190628



base plate: plastic / diffuser:
plastic



IP 66



IK 10



DABA N LED SMD DL-22W

220-240V-;
50/60HZ

LED LIGHT FIXTURE WITH A MOTION SENSOR



index 19063

EAN 5905339190635




base plate: plastic / diffuser:
plastic



IP 66



IK 10



SANSO LED 15W-NW-SE

220-240V-;
50/60HZ

LED LIGHT FIXTURE WITH A MOTION SENSOR




index 26520

EAN 5905339265203



base plate: plastic / diffuser:
plastic



IP 44



IK 10



SANVI LED 16W-NW

220-240V~;
50/60HZ

LED LIGHT FIXTURE



index 26660

EAN 5905339266606

⚡ 16W

💡 1200lm

☀️ LED SMD ✓

base plate: metall/ diffuser:
plastic

IP 44

💡 4000K

🕒 25000h



📐 120°

🎨 WHITE

SANVI LED 16W-WW

220-240V~;
50/60HZ

LED LIGHT FIXTURE



index 26661

EAN 5905339266613

⚡ 16W

💡 1100lm

☀️ LED SMD ✓

base plate: metall/ diffuser:
plastic

IP 44

💡 3000K

🕒 25000h



📐 120°

🎨 WHITE

SANVI LED 21W-NW

220-240V~;
50/60HZ

LED LIGHT FIXTURE



index 26662

EAN 5905339266620

⚡ 21W

💡 1850lm

☀️ LED SMD ✓

base plate: metall/ diffuser:
plastic

IP 44

💡 4000K

🕒 25000h



📐 120°

🎨 WHITE

SANVI LED 21W-WW

220-240V~;
50/60HZ

LED LIGHT FIXTURE



index 26663

EAN 5905339266637

⚡ 21W

💡 1800lm

☀️ LED SMD ✓

base plate: metall/ diffuser:
plastic

IP 44

💡 3000K

🕒 25000h



📐 120°

🎨 WHITE

SANVI LED 16W-RM

220-240V~;
50/60HZ

LED LIGHT FIXTURE WITH REMOTE CONTROL



index 26664

EAN 5905339266644

⚡ 2,4
-16W

💡 160-
1150lm

☀️ LED SMD ✓

base plate: metall/ diffuser:
plastic

IP 20

💡 2700-
6000K

🕒 25000h



📐 120°

🎨 WHITE

SANVI RING 16-BZ

DECORATIVE RING FOR LIGHTING FIXTURES



index 26668

EAN 5905339266682

casing: plastic

possible use in luminaires:
26660, 26661, 26664

🎨 COPPER



SANVI RING 16-SR

DECORATIVE RING FOR LIGHTING FIXTURES

index 26666 EAN 5905339266668
 casing: plastic possible use in luminaires:
 26660, 26661, 26664

SILVER



SANVI RING 16-W

DECORATIVE RING FOR LIGHTING FIXTURES

index 26667 EAN 5905339266675
 casing: plastic possible use in luminaires:
 26660, 26661, 26664

WHITE



SANVI RING 21-BZ

DECORATIVE RING FOR LIGHTING FIXTURES

index 26671 EAN 5905339266712
 casing: plastic possible use in luminaires:
 26662, 26663

COPPER



SANVI RING 21-SR

DECORATIVE RING FOR LIGHTING FIXTURES

index 26669 EAN 5905339266699
 casing: plastic possible use in luminaires:
 26662, 26663

SILVER



SANVI RING 21-W

DECORATIVE RING FOR LIGHTING FIXTURES

index 26670 EAN 5905339266705
 casing: plastic possible use in luminaires:
 26662, 26663

WHITE



VARSO LED 18W-NW-L

LED LIGHT FIXTURE

220-240V-;
 50/60HZ

index 26443 EAN 5905339264435 18W 1700lm LED SMD ✓
 base plate: plastic / diffuser: plastic IP 54 4000K 20000h

IK 08 120° WHITE

VARSO LED 18W-NW-O

220-240V~;
50/60HZ

LED LIGHT FIXTURE



index 26441

EAN 5905339264411

⚡ 18W

💡 1700lm

☀️ LED SMD ✓

base plate: plastic / diffuser:
plastic

IP 54

💡 4000K

🕒 20000h



IK 08

📐 120°

🖌️ WHITE

VARSO LED 18W-WW-L

220-240V~;
50/60HZ

LED LIGHT FIXTURE



index 26442

EAN 5905339264428

⚡ 18W

💡 1620lm

☀️ LED SMD ✓

base plate: plastic / diffuser:
plastic

IP 54

💡 4000K

🕒 20000h



IK 08

📐 120°

🖌️ WHITE

VARSO LED 18W-WW-O

220-240V~;
50/60HZ

LED LIGHT FIXTURE



index 26440

EAN 5905339264404

⚡ 18W

💡 1620lm

☀️ LED SMD ✓

base plate: plastic / diffuser:
plastic

IP 54

💡 4000K

🕒 20000h



IK 08

📐 120°

🖌️ WHITE

VARSO LED 24W-NW-L

220-240V~;
50/60HZ

LED LIGHT FIXTURE



index 26447

EAN 5905339264473

⚡ 24W

💡 2280lm

☀️ LED SMD ✓

base plate: plastic / diffuser:
plastic

IP 54

💡 4000K

🕒 20000h



IK 08

📐 120°

🖌️ WHITE

VARSO LED 24W-NW-O

220-240V~;
50/60HZ

LED LIGHT FIXTURE



index 26445

EAN 5905339264459

⚡ 24W

💡 2280lm

☀️ LED SMD ✓

base plate: plastic / diffuser:
plastic

IP 54

💡 4000K

🕒 20000h



IK 08

📐 120°

🖌️ WHITE

VARSO LED 24W-WW-L

220-240V~;
50/60HZ

LED LIGHT FIXTURE



index 26446

EAN 5905339264466

⚡ 24W

💡 2160lm

☀️ LED SMD ✓

base plate: plastic / diffuser:
plastic

IP 54

💡 3000K

🕒 20000h



IK 08

📐 120°

🖌️ WHITE



VARSO LED 24W-WW-O

220-240V-;
50/60HZ

LED LIGHT FIXTURE

index 26444

EAN 5905339264442

⚡ 24W

💡 2160lm

☀️ LED SMD ✓

base plate: plastic / diffuser:
plastic

IP 54

💡 3000K

🕒 20000h



IK 08

📐 120°

🎨 WHITE

TAXI SMD L C/M-NW

220-240V-;
50/60HZ

LIGHT FIXTURE FOR RECESSED INSTALLATION



index 26461

EAN 5905339264619

⚡ 0,6W

💡 10lm

☀️ LED SMD ✓

casing: die-cast metal / cover:
glass / front panel: stainless
steel

IP 54

💡 4000K

🕒 20000h



🎨 MATTE CHROME

TAXI SMD L C/M-WW

220-240V-;
50/60HZ

LIGHT FIXTURE FOR RECESSED INSTALLATION



index 26460

EAN 5905339264602

⚡ 0,6W

💡 10lm

☀️ LED SMD ✓

casing: die-cast metal / cover:
glass / front panel: stainless
steel

IP 54

💡 3000K

🕒 20000h



🎨 MATTE CHROME

TAXI SMD P C/M-NW

220-240V-;
50/60HZ

LIGHT FIXTURE FOR RECESSED INSTALLATION



index 26463

EAN 5905339264633

⚡ 0,6W

💡 10lm

☀️ LED SMD ✓

casing: die-cast metal / cover:
glass / front panel: stainless
steel

IP 54

💡 4000K

🕒 20000h



🎨 MATTE CHROME

TAXI SMD P C/M-WW

220-240V-;
50/60HZ

LIGHT FIXTURE FOR RECESSED INSTALLATION



index 26462

EAN 5905339264626

⚡ 0,6W

💡 10lm

☀️ LED SMD ✓

casing: die-cast metal / cover:
glass / front panel: stainless
steel

IP 54

💡 3000K


🕒 20000h



🎨 MATTE CHROME

EN

Kanlux



**DOMESTIC
LIGHTING**



IN SET



POWER



TYPE OF LIGHT SOURCE



COLOUR TEMPERATURE



LUMINOUS FLUX



LIFETIME

IP

DEGREE OF RESISTANCE TO PENETRATION
OF FOREIGN SOLIDS, DUST AND HUMIDITY




COLOUR



REPLACEABLE / NON-REPLACEABLE LIGHT SOURCE



CLASS OF PROTECTION AGAINST ELECTRICAL SHOCK



ORNER C-2



HANGING LUMINAIRE

220-240V-;
50/60HZ

index 26311
shade: glass

EAN 5905339263117

⚡ MAX
60W

≡ 27

💡 LED/
CFL/
GLS

IP 20



🎨 MULTICOLOR
- HAND PAINTED

ORNER M-3



HANGING LUMINAIRE

220-240V-;
50/60HZ

index 26319
shade: glass

EAN 5905339263193

⚡ MAX
60W

≡ 27

💡 LED/
CFL/
GLS

IP 20



🎨 MULTICOLOR
- HAND PAINTED

GORD DLP 250-W



CEILING LIGHTING POINT FITTING

220-240V-;
50/60HZ

index 25473
casing: aluminium

EAN 5905339254733

⚡ 2 x
MAX
25W

💡 GU10

💡 JDR

IP 20



🎨 WHITE

GORD DLP 250-B



CEILING LIGHTING POINT FITTING

220-240V-;
50/60HZ

index 25474
casing: aluminium

EAN 5905339254740

⚡ 2 x
MAX
25W

💡 GU10

💡 JDR

IP 20



🎨 BLACK

GORD DLP 250-AL.



CEILING LIGHTING POINT FITTING

220-240V-;
50/60HZ

index 25475
casing: aluminium

EAN 5905339254757

⚡ 2 x
MAX
25W

💡 GU10

💡 JDR

IP 20



🎨 ALUMINIUM

MERIL DLP-50-W



DOWNLIGHT FITTING

220-240V-;
50/60HZ

index 26480
casing: aluminium

EAN 5905339264800

⚡ 35W

💡 GU10

💡 JDR

IP 20



↻ 30°

🎨 WHITE

MERIL DLP-250-W

220-240V-;
50/60HZ

DOWNLIGHT FITTING



index 26481

EAN 5905339264817

2x35W

GU10

JDR

IP 20



30°

WHITE

IMOEO DSO50

12V-

DECORATIVE RING



index 26070

EAN 5905339260703

MAX
35W

Gx5,3

MR-16

white gypsum
can be painted with mural paints

IP 20



WHITE

IMOEO DSL50

12V-

DECORATIVE RING



index 26071

EAN 5905339260710

MAX
35W

Gx5,3

MR-16

white gypsum
can be painted with mural paints

IP 20




WHITE

ARET 1XMR16-W

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26720

EAN 5905339267207

MAX
35W

Gx5,3
GU10

MR-16
JDR

aluminum casing alloy
no socket included

IP 20



20°

WHITE

ARET 1XMR16-GR

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26721

EAN 5905339267214

MAX
35W

Gx5,3
GU10

MR-16
JDR

aluminum casing alloy
no socket included

IP 20



20°

GREY

ARET 1XMR16-C/M

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26722

EAN 5905339267221

MAX
35W

Gx5,3
GU10

MR-16
JDR

aluminum casing alloy
no socket included

IP 20



20°

MATT
CHROME

ARET 2XMR16-W

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26723

EAN 5905339267238



aluminum casing alloy
no socket included

IP 20



ARET 2XMR16-GR

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26724

EAN 5905339267245



aluminum casing alloy
no socket included

IP 20



ARET 2XMR16-C/M

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26725

EAN 5905339267252



aluminum casing alloy
no socket included

IP 20



ALREN DTL-W

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26753

EAN 5905339267535



aluminum casing alloy
no socket included

IP 20



ALREN DTL-B

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26754

EAN 5905339267542



aluminum casing alloy
no socket included

IP 20



ALREN DTL-C

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26755

EAN 5905339267559



aluminum casing alloy
no socket included

IP 20



ALREN DTL-C/M

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26756

EAN 5905339267566

MAX 35W

Gx5,3
GU10

MR-16
JDR

aluminum casing alloy
no socket included

IP 20



20°

MATT
CHROME

APRILA DTO-W

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26738

EAN 5905339267382

MAX 35W

Gx5,3
GU10

MR-16
JDR

aluminum casing alloy
no socket included

IP 20



20°

WHITE

APRILA DTL-W

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26739

EAN 5905339267399

MAX 35W

Gx5,3
GU10

MR-16
JDR

aluminum casing alloy
no socket included

IP 20



20°

WHITE

IVRI DTO-W

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26736

EAN 5905339267368

MAX 35W

Gx5,3
GU10

MR-16
JDR

aluminum casing alloy
no socket included

IP 20



30°

WHITE

IVRI DTL-W

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26737

EAN 5905339267375

MAX 35W

Gx5,3
GU10

MR-16
JDR

aluminum casing alloy
no socket included

IP 20



30°

WHITE

MORTA T O-SR

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26710

EAN 5905339267108

MAX 35W

Gx5,3
GU10

MR-16
JDR

aluminum casing alloy, glass

IP 20



SILVER

MORTA T O-B



DECORATIVE RING

12V
220-240V~;
50/60HZ

index 26711
aluminum casing alloy, glass

EAN 5905339267115

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



BLACK

MORTA T L-SR



DECORATIVE RING

12V
220-240V~;
50/60HZ

index 26712
aluminum casing alloy, glass

EAN 5905339267122

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



SILVER

MORTA T L-B



DECORATIVE RING

12V
220-240V~;
50/60HZ

index 26713
aluminum casing alloy, glass

EAN 5905339267139

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



BLACK

MORTA OCT-SR



DECORATIVE RING

12V
220-240V~;
50/60HZ

index 26714
aluminum casing alloy, glass

EAN 5905339267146

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



SILVER

MORTA OCT-B



DECORATIVE RING

12V
220-240V~;
50/60HZ

index 26715
aluminum casing alloy, glass

EAN 5905339267153

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



BLACK

MORTA CT-DT050-SR



DECORATIVE RING

12V
220-240V~;
50/60HZ

index 26716
aluminum casing alloy, glass

EAN 5905339267160

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



30°

SILVER

MORTA CT-DT050-B

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26717
aluminum casing alloy, glass

EAN 5905339267177

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



30°

BLACK

MORTA CT-DTL50-SR

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26718
aluminum casing alloy, glass

EAN 5905339267184

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



30°

SILVER

MORTA CT-DTL50-B

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26719
aluminum casing alloy, glass

EAN 5905339267191

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



30°

BLACK

COLIE DTO-W

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26740
aluminum casing
no socket included

EAN 5905339267405

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



15°

WHITE

COLIE DTO-G

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26741
aluminum casing
no socket included

EAN 5905339267412

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



15°

GOLD

COLIE DTO-AL

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26742
aluminum casing
no socket included

EAN 5905339267429

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



15°

ALUMINUM

COLIE DTO-B

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26743
aluminum casing
no socket included

EAN 5905339267436

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



15°

BLACK

COLIE DTO-GR

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26744
aluminum casing
no socket included

EAN 5905339267443

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



15°

GREY

SEIDY CT-DTL50-W/M

12V

CEILING LIGHTING POINT FITTING



index 19454
brushed aluminum

EAN 5905339194541

MAX 50W

Gx5,3

MR-16

IP 20



30°

WHITE
MATT

SEIDY CT-DTL250-W/M

12V

CEILING LIGHTING POINT FITTING



index 19455
brushed aluminum

EAN 5905339194558

MAX 50W

Gx5,3

MR-16

IP 20



30°

WHITE
MATT

NALEN O-B

12V
20-240V-;
50/60HZ

DECORATIVE RING



index 26450
casing: aluminum
no socket included

EAN 5905339264503

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

BLACK

NALEN O-AL

12V
20-240V-;
50/60HZ

DECORATIVE RING



index 26451
casing: aluminum
no socket included

EAN 5905339264510

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

ALUMINUM

NALEN O-SC

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26452
casing: aluminum
no socket included

EAN 5905339264527

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

SATIN
CHROME

NALEN L-B

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26453
casing: aluminum
no socket included

EAN 5905339264534

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

BLACK

NALEN L-AL

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26454
casing: aluminum
no socket included

EAN 5905339264541

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

ALUMINUM

NESTA DSL-W

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26745
casing: aluminum
no socket included

EAN 5905339267450

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

WHITE

NESTA DSL-B

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26746
casing: aluminum
no socket included

EAN 5905339267467

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

BLACK

NESTA DSL-C

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26747
casing: aluminum
no socket included

EAN 5905339267474

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

CHROME

NESTA DSL-C/M

DECORATIVE RING

12V
220-240V-;
50/60HZ



index 26748

EAN 5905339267481

MAX
35W

Gx5,3
GU10

MR-16
JDR

casing: aluminum
no socket included

IP 20



20°

MATT
CHROME

NESTA DTL-W

DECORATIVE RING

12V
220-240V-;
50/60HZ



index 26749

EAN 5905339267498

MAX
35W

Gx5,3
GU10

MR-16
JDR

casing: aluminum
no socket included

IP 20



20°

WHITE

NESTA DTL-B

DECORATIVE RING

12V
220-240V-;
50/60HZ



index 26750

EAN 5905339267504

MAX
35W

Gx5,3
GU10

MR-16
JDR

casing: aluminum
no socket included

IP 20



20°

BLACK

NESTA DTL-C

DECORATIVE RING

12V
220-240V-;
50/60HZ



index 26751

EAN 5905339267511

MAX
35W

Gx5,3
GU10

MR-16
JDR

casing: aluminum
no socket included

IP 20



20°

CHROME

NESTA DTL-C/M

DECORATIVE RING

12V
220-240V-;
50/60HZ



index 26752

EAN 5905339267528

MAX
35W

Gx5,3
GU10

MR-16
JDR

casing: aluminum
no socket included

IP 20



20°

MATT
CHROME

ALOR DS-W

DECORATIVE RING

12V
220-240V-;
50/60HZ



index 26726

EAN 5905339267269

MAX
35W

Gx5,3
GU10

MR-16
JDR

casing: aluminum
no socket included

IP 20



20°

WHITE

ALOR DS-B

DECORATIVE RING

12V
220-240V-;
50/60HZ



index 26727
casing: aluminum
no socket included

EAN 5905339267276

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

BLACK

ALOR DS-C

DECORATIVE RING

12V
220-240V-;
50/60HZ



index 26728
casing: aluminum
no socket included

EAN 5905339267283

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

CHROME

ALOR DS-C/M

DECORATIVE RING

12V
220-240V-;
50/60HZ



index 26729
casing: aluminum
no socket included

EAN 5905339267290

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

MATT
CHROME

ALOR DS-BR/M

DECORATIVE RING

12V
220-240V-;
50/60HZ



index 26730
casing: aluminum
no socket included

EAN 5905339267306

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

MATT
BRASS

ALOR DT-W

DECORATIVE RING

12V
220-240V-;
50/60HZ



index 26731
casing: aluminum
no socket included

EAN 5905339267313

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

WHITE

ALOR DT-B

DECORATIVE RING

12V
220-240V-;
50/60HZ



index 26732
casing: aluminum
no socket included

EAN 5905339267320

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

BLACK

ALOR DT-C

12V
220-240V~;
50/60HZ

DECORATIVE RING



index 26733
casing: aluminum
no socket included

EAN 5905339267337

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

CHROME

ALOR DT-C/M

12V
220-240V~;
50/60HZ

DECORATIVE RING



index 26734
casing: aluminum
no socket included

EAN 5905339267344

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

MATT
CHROME

ALOR DT-BR/M

12V
220-240V~;
50/60HZ

DECORATIVE RING



index 26735
casing: aluminum
no socket included

EAN 5905339267351

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

MATT
BRASS

ALOR DSO-W

12V
220-240V~;
50/60HZ

DECORATIVE RING



index 26790
casing: aluminum
no socket included

EAN 5905339267900

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

WHITE

ALOR DSO-B

12V
220-240V~;
50/60HZ

DECORATIVE RING



index 26791
casing: aluminum
no socket included

EAN 5905339267917

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20




20°

BLACK

ALOR DSO-C

12V
220-240V~;
50/60HZ

DECORATIVE RING



index 26792
casing: aluminum
no socket included

EAN 5905339267924

MAX
35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

CHROME

ALOR DSO-C/M

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26793
casing: aluminum
no socket included

EAN 5905339267931

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

MATT
CHROME

ALOR DSO-BR/M

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26794
casing: aluminum
no socket included

EAN 5905339267948

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

MATT
BRASS

ALOR DTO-W

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26795
casing: aluminum
no socket included

EAN 5905339267955

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

WHITE

ALOR DTO-B

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26796
casing: aluminum
no socket included

EAN 5905339267962

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

BLACK

ALOR DTO-C

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26797
casing: aluminum
no socket included

EAN 5905339267979

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

CHROME

ALOR DTO-C/M

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26798
casing: aluminum
no socket included

EAN 5905339267986

MAX 35W

Gx5,3
GU10

MR-16
JDR

IP 20



20°

MATT
CHROME

ALOR DTO-BR/M

12V
220-240V-;
50/60HZ

DECORATIVE RING



index 26799
casing: aluminum
no socket included

EAN 5905339267993

⚡ MAX 35W

⚡ Gx5,3 GU10

⚡ MR-16 JDR

IP 20



☾ 20°

🖌️ MATT BRASS

IVIAN LED 4,5W W-WW

220-240V-;
50/60HZ

CEILING LIGHTING POINT FITTING



index 25780
plastic: non-ferrous metal alloy

EAN 5905339257802

⚡ 4,5W

💡 340lm

☀️ LED SMD ✓

IP 44/20

💡 3000K

🕒 15000h



🖌️ WHITE

IVIAN LED 4,5W SN-WW

220-240V-;
50/60HZ

CEILING LIGHTING POINT FITTING



index 25781
plastic: non-ferrous metal alloy

EAN 5905339257819

⚡ 4,5W

💡 340lm

☀️ LED SMD ✓

IP 44/20

💡 3000K

🕒 15000h



🖌️ SATIN NICKEL

IVIAN LED 4,5W W-NW

220-240V-;
50/60HZ

CEILING LIGHTING POINT FITTING



index 25782
plastic: non-ferrous metal alloy

EAN 5905339257826

⚡ 4,5W

💡 370lm

☀️ LED SMD ✓

IP 44/20

💡 4000K

🕒 15000h



🖌️ WHITE

IVIAN LED 4,5W SN-NW

220-240V-;
50/60HZ

CEILING LIGHTING POINT FITTING



index 25783
plastic: non-ferrous metal alloy

EAN 5905339257833

⚡ 4,5W

💡 370lm

☀️ LED SMD ✓

IP 44/20

💡 4000K

🕒 15000h



🖌️ WHITE

ASTEN LED IP44 8W-NW

220-240V-;
50/60HZ

LINEAR WALL FITTING



index 26680
metal, plastic

EAN 5905339266804

⚡ 8W

💡 450lm

☀️ LED SMD ✓

IP 44

💡 4000K

🕒 25000h



ON OFF 15000

🖌️ CHROME

ASTEN LED IP44 12W-NW

220-240V-;
50/60HZ

LINEAR WALL FITTING



index 26681
metal, plastic

EAN 5905339266811

12W

770lm

LED SMD ✓

IP 44

4000K

25000h



15000

CHROME

ASTEN LED IP44 15W-NW

220-240V-;
50/60HZ

LINEAR WALL FITTING



index 26682
metal, plastic

EAN 5905339266828

15W

970lm

LED SMD ✓

IP 44

4000K

25000h



15000

CHROME

ROLSO LED IP44 15W-NW

220-240V-;
50/60HZ

UNDER-CUPBOARD LINEAR WALL FIXTURE



index 26700
metal, plexiglass

EAN 5905339267009

15W

1080lm

LED SMD ✓

IP 44

4000K

25000h



15000

CHROME

ROLSO LED IP44 20W-NW

220-240V-;
50/60HZ

UNDER-CUPBOARD LINEAR WALL FIXTURE



index 26701
metal, plexiglass

EAN 5905339267016

20W

1440lm

LED SMD ✓

IP 44

4000K

25000h



15000

CHROME

LINAR LED WW

12V DC

DECORATIVE LED FITTING



index 23112
ground stainless steel, plastic

EAN 5905339231123

0,8W

13lm

LED SMD ✓

IP 20

3000K

50000h



25000

CHROME

LINAR LED CW

12V DC

DECORATIVE LED FITTING



index 23113
ground stainless steel, plastic

EAN 5905339231130

0,8W

15lm

LED SMD ✓

IP 20

6500K

50000h



25000

CHROME

LIRIA LED WW

12V DC

DECORATIVE LED FITTING



index 23114
ground stainless teel, plastic

EAN 5905339231147

⚡ 0,8W

💡 13lm

☀️ LED SMD ✓

IP 20

💡 3000K

🕒 50000h



ON/OFF 20000

🖌️ CHROME

LIRIA LED CW

12V DC

DECORATIVE LED FITTING



index 23115
ground stainless teel, plastic

EAN 5905339231154

⚡ 0,8W

💡 15lm

☀️ LED SMD ✓

IP 20

💡 6500K

🕒 50000h




ON/OFF 20000

🖌️ CHROME

ORID LED WW

12V DC

DECORATIVE LED FITTING



index 23116
ground stainless teel, plastic

EAN 5905339231161

⚡ 0,8W

💡 13lm

☀️ LED SMD ✓

IP 20

💡 3000K

🕒 50000h



ON/OFF 20000

🖌️ CHROME

ORID LED CW

12V DC

DECORATIVE LED FITTING



index 23117
ground stainless teel, plastic

EAN 5905339231178

⚡ 0,8W

💡 15lm

☀️ LED SMD ✓

IP 20

💡 6500K

🕒 50000h



ON/OFF 20000

🖌️ CHROME

AWAN LED S-W

220-240V-;
50/60HZ

LED DESK LAMP



index 26490
material: plastic
Three-level dimming, illuminated lamp base with colour changing automatically (mood light switch).

EAN 5905339264909

⚡ MAX 7W

💡 MAX 240lm

☀️ LED SMD ✓

IP 20

💡 3000K

🕒 20000h



ON/OFF 10000

↷ 180°

🖌️ WHITE

AWAN LED C-W

220-240V-;
50/60HZ

LED DESK LAMP



index 26491
material: plastic
Three-level dimming, illuminated base of the lamp with colour changing automatically (mood light switch), display with clock, calendar and temperature, alarm function (alarm, birthday reminder), time switch.

EAN 5905339264916

⚡ MAX 7W

💡 MAX 240lm

☀️ LED SMD ✓

IP 20

💡 3000K

🕒 20000h



ON/OFF 10000

↷ 180°

🖌️ WHITE



DOSAN LED W

220-240V-50/60HZ

LED DESK LAMP

index 26690

EAN 5905339266903

9W

350lm

LED SMD ✓

material: plastic
Product equipped with electrical connector.
Possibility of dimming only by means of an internal electronic system.

IP 20

4000K

20000h



15000

170°

WHITE



DOSAN LED B

220-240V-50/60HZ

LED DESK LAMP

index 26691

EAN 5905339266910

9W

350lm

LED SMD ✓

material: plastic
Product equipped with electrical connector.
Possibility of dimming only by means of an internal electronic system.

IP 20

4000K

20000h




15000

170°

BLACK

EN

Kanlux



LIGHT SOURCES



POWER



COLOUR TEMPERATURE (TC)



LUMINOUS FLUX



CRI



TYPE OF LIGHT SOURCE




LUMINOUS FLUX DISTRIBUTION ANGLE



LIFETIME



NUMBER OF SWITCH CYCLES



RAPID PRO LED B22-WW

A+

LED LAMPS

220-240V



index 22952	EAN 5905339229526	10W	B22	LED SMD
		3000K	800lm	200°
			20000h	15000

RAPID PRO LED B22-CW

A+

LED LAMPS

220-240V



index 22953	EAN 5905339229533	10W	B22	LED SMD
		6500K	800lm	200°
			20000h	15000

RAPID MAXX LED B22-WW

A+

LED LAMPS

220-240V



index 23284	EAN 5905339232847	12W	B22	LED SMD
		3000K	1050lm	200°
			15000h	10000

RAPID MAXX LED B22-CW

A+

LED LAMPS

220-240V



index 23285	EAN 5905339232854	12W	B22	LED SMD
		6500K	1050lm	200°
			15000h	10000

4PACK A60-12W E27-WW

A+

LED LAMPS

220-240V



4 pcs in set

index 25391	EAN 5905339253910	4 X 12W	E27	LED SMD
		3000K	1055lm	200°
			15000h	10000

RAPID HI LED E27-WW

A+

LED LAMPS

220-240V



index 25400	EAN 5905339254009	15W	E27	LED SMD
		3000K	1520lm	200°
			15000h	15000



RAPID HI LED E27-NW

A+

LED LAMPS

220-240V

index 25401 EAN 5905339254016 ⚡ 15W ⚡ E27 ⚡ LED SMD
 ☀️ 4000K ☀️ 1520lm 📐 200°
 🕒 15000h ⏸️ 15000



WIDE N LED E27-WW

A+

LED LAMPS

220-240V

index 22864 EAN 5905339228642 ⚡ 7W ⚡ E27 ⚡ LED SMD
 ☀️ 3000K ☀️ 750lm 📐 300°
 🕒 17500h ⏸️ 15000



WIDE N LED E27-NW

A+

LED LAMPS

220-240V

index 22865 EAN 5905339228659 ⚡ 7W ⚡ E27 ⚡ LED SMD
 ☀️ 4000K ☀️ 750lm 📐 300°
 🕒 17500h ⏸️ 15000



DIXI FILLED 8W E27-WW

A++

LED LAMPS

220-240V

index 26044 EAN 5905339260444 ⚡ 8W ⚡ E27 ⚡ FILAMENT
 ☀️ 2700K ☀️ 1000lm 📐 300°
 🕒 15000h ⏸️ 15000



ST64 FILLED 4W-WW

A+

LED LAMPS

220-240V

index 26040 EAN 5905339260406 ⚡ 4W ⚡ E27 ⚡ FILAMENT
 ☀️ 2500K ☀️ 320lm 📐 300°
 🕒 15000h ⏸️ 15000



ST64 FILLED 6W-WW

A++

LED LAMPS

220-240V

index 26041 EAN 5905339260413 ⚡ 6W ⚡ E27 ⚡ FILAMENT
 ☀️ 2500K ☀️ 650lm 📐 300°
 🕒 15000h ⏸️ 15000

G125 FILLED 6W-WW

A++

LED LAMPS

220-240V



index 26042	EAN 5905339260420	6W	E27	FILAMENT
		2500K	800lm	300°
			15000h	15000

BILO HI 8W E14-WW

A+

LED LAMPS

220-240V



index 26762	EAN 5905339267627	8W	E14	LED SMD
		3000K	800lm	200°
			17500h	15000

BILO HI 8W E14-NW

A+

LED LAMPS

220-240V



index 26763	EAN 5905339267634	8W	E14	LED SMD
		4000K	800lm	200°
			17500h	15000

BILO HI 8W E27-WW

A+

LED LAMPS

220-240V



index 26764	EAN 5905339267641	8W	E27	LED SMD
		3000K	800lm	200°
			17500h	15000

BILO HI 8W E27-NW

A+

LED LAMPS

220-240V



index 26765	EAN 5905339267658	8W	E27	LED SMD
		4000K	800lm	200°
			17500h	15000

DUN HI 8W E14-WW

A+

LED LAMPS

220-240V



index 26760	EAN 5905339267603	8W	E14	LED SMD
		3000K	800lm	230°
			17500h	15000



DUN HI 8W E14-NW

A+

LED LAMPS

220-240V

index 26761 EAN 5905339267610 ⚡ 8W E14 LED SMD
 4000K 800lm 230°
 17500h ON/OFF 15000



FULLED GU10-3,3WS3-NW

A++

LED LAMPS

220-240V

index 26031 EAN 5905339260314 ⚡ 3,3W GU10 LED SMD
 4000K 290lm 36°
 15000h ON/OFF 15000



FULLED GU10-3,3WS3-CW

A++

LED LAMPS

220-240V

index 26032 EAN 5905339260321 ⚡ 3,3W GU10 LED SMD
 6500K 300lm 36°
 15000h ON/OFF 15000



FULLED GU10-3,3W-WW

A++

LED LAMPS

220-240V

index 26033 EAN 5905339260338 ⚡ 3,3W GU10 LED SMD
 2700K 275lm 120°
 15000h ON/OFF 15000



FULLED GU10-3,3W-NW

A++

LED LAMPS

220-240V

index 26034 EAN 5905339260345 ⚡ 3,3W GU10 LED SMD
 4000K 285lm 120°
 15000h ON/OFF 15000



FULLED GU10-3,3W-CW

A++

LED LAMPS

220-240V

index 26035 EAN 5905339260352 ⚡ 3,3W GU10 LED SMD
 6500K 295lm 120°
 15000h ON/OFF 15000



FILLED GU10-3,3WS3-WW

A++

LED LAMPS

220-240V

index 26030	EAN 5905339260307	3,3W	GU10	LED SMD
		2700K	280lm	36°
			15000h	15000



G9 GLASS LED2W-WW

A+

LED LAMPS

220-240V

index 26630	EAN 5905339266309	2W	G9	LED COB
		3000K	200lm	~300°
			15000h	15000



G9 GLASS LED2W-CW

A+

LED LAMPS

220-240V

index 26631	EAN 5905339266316	2W	G9	LED COB
		6000K	200lm	~300°
			15000h	15000



ZUBI HI LED4WG9-WW

A++

LED LAMPS

220-240V

index 24524	EAN 5905339245243	4W	G9	LED SMD
		3000K	500lm	310°
			15000h	15000



ZUBI LED 3,5W E14-WW

A++

LED LAMPS

220-240V

index 24525	EAN 5905339245250	3,5W	E14	LED SMD
		3000K	300lm	300°
			15000h	10000



MOD 12W LED-NW

A+

LED LAMPS

220-240V

index 25730	EAN 5905339257307	12W	LED SMD
		4000K	1020lm
			170°
			17500h
			15000

MOD 20W LED-NW

A+

LED LAMPS

220-240V



index 25731

EAN 5905339257314

20W

LED SMD

4000K

1700lm

170°

17500h

15000

MOD 12W LED-WW

A+

LED LAMPS

220-240V



index 25732

EAN 5905339257321

12W

LED SMD

3000K

1020lm

170°

17500h

15000

MOD 20W LED-WW

A+

LED LAMPS

220-240V



index 25733

EAN 5905339257338

20W

LED SMD

3000K

1700lm

170°

17500h

15000

NIFO LED 14W E27-WW-W

A+

LED LAMPS

220-240V



index 26050

EAN 5905339260505

14W

E27

LED SMD

3000K

1150lm

160°

15000h

15000

NIFO LED 20W E27-WW-W

A+

LED LAMPS

220-240V



index 26052

EAN 5905339260529

20W

E27

LED SMD

3000K

1650lm

160°

15000h

15000

NIFO LED 22W E27-WW-W

A+

LED LAMPS

220-240V



index 26054

EAN 5905339260543

22W

E27

LED SMD

3000K

1850lm

160°

15000h

15000

RANGO R7S SMD-WW

A+

LED LAMPS

220-240V



index 15098	EAN 5907540962155	6W	R7S	LED SMD
		3000K	500lm	120°
		20000h		20000

RANGO R7S SMD-NW

A+

LED LAMPS

220-240V



index 26420	EAN 5905339264206	6W	R7S	LED SMD
		4000K	550lm	120°
		20000h		20000

LEDS SET S-DIM IR

A-A++

LEDS SET

PRI: 220-240V; SEC:12V DC



index 26320	EAN 5905339263209	7,5W	IP 54	LED SMD
		3000-3900K	450lm	
		15000h		15000

LEDS SET S-DIM TS

A-A++

LEDS SET

PRI: 220-240V; SEC:12V DC



index 26321	EAN 5905339263216	7,5W	IP 54	LED SMD
		3000-3900K	450lm	
		15000h		15000

LEDS SET W-SE ACCU

A-A++

LEDS SET

3,7V DC



index 26322	EAN 5905339263223	2,4W	IP 54	LED SMD
		3000-3900K	180lm	
		15000h		15000

LEDS SET W-SE BTRY

A-A++

LEDS SET

4 X AAA, 1,2V DC



index 26323	EAN 5905339263230	2,4W	IP 54	LED SMD
		3000-3900K	180lm	
		15000h		15000



LEDS SET B-SE SGL

A-A++

LEDS SET

PRI: 220-240V; SEC:12V DC

index 26324

EAN 5905339263247

3,3W

IP 54

LED SMD

3000-3900K

240lm

15000h

ON/OFF 15000



LEDS SET B-SE DBL

A-A++

LEDS SET

PRI: 220-240V; SEC:12V DC

index 26325

EAN 5905339263254

6,5W

IP 54


LED SMD

3000-3900K

2X240lm

15000h

ON/OFF 15000



PROFILO B / PROFILO B 2M

PROFILES FOR LINEAR LED STRIPES

ACCESSORIES available

index 19161

EAN 5905339191618


26540

5905339265401

aluminum

1 meter or 2 meters

ALUMINIUM



PROFILO C / PROFILO C 2M

PROFILES FOR LINEAR LED STRIPES

ACCESSORIES available

index 19162

EAN 5905339191625

26541

5905339265418

aluminum

1 meter or 2 meters

ALUMINIUM



PROFILO D / PROFILO D 2M

PROFILES FOR LINEAR LED STRIPES

ACCESSORIES available

index 19163

EAN 5905339191632

26542

5905339265425

aluminum

1 meter or 2 meters

ALUMINIUM



PROFILO E / PROFILO E 2M

PROFILES FOR LINEAR LED STRIPES

ACCESSORIES available

index 19164

EAN 5905339191649

26543

5905339265432

aluminum

1 meter or 2 meters

ALUMINIUM



PROFILO F / PROFILO F 2M

PROFILES FOR LINEAR LED STRIPES

ACCESSORIES available

index 26552 EAN 5905339265524
 26553 5905339265531
 aluminum

ALUMINIUM




PROFILO G / PROFILO G 2M

PROFILES FOR LINEAR LED STRIPES

ACCESSORIES available

index 26558 EAN 5905339265586
 26559 5905339265593
 aluminum

ALUMINIUM



PROFILO H / PROFILO H 2M

PROFILES FOR LINEAR LED STRIPES

ACCESSORIES available

index 26560 EAN 5905339265609
 26561 5905339265616
 aluminum

ALUMINIUM



PROFILO I / PROFILO I 2M

PROFILES FOR LINEAR LED STRIPES

ACCESSORIES available

index 26554 EAN 5905339265548
 26555 5905339265555
 aluminum

ALUMINIUM



PROFILO J / PROFILO J 2M

PROFILES FOR LINEAR LED STRIPES

ACCESSORIES available

index 26544 EAN 5905339265449
 26545 5905339265456
 aluminum

ALUMINIUM



PROFILO K / PROFILO K 2M

PROFILES FOR LINEAR LED STRIPES

ACCESSORIES available

index 26548 EAN 5905339265487
 26549 5905339265494
 aluminum


ALUMINIUM



More informations about: shades, stoppers, handles and other accesories and components on www.kanlux.com

EN

Kanlux



WIRING ACCESSORIES



POWER



NOMINAL CURRENT



DEGREE OF RESISTANCE TO PENETRATION OF FOREIGN SOLIDS, DUST AND HUMIDITY




COLOUR



NUMBER OF SOCKETS



LENGTH OF CABLE



LUNGA 3 3G1.0X1.4M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING



index 25950
casing: plastic

EAN 5905339259509

⚡ MAX
2500W

IP 20

In 10A



•••• 3X 2P+T/2P+E

🌀 1,4M

🖌️ WHITE

LUNGA 3 3G1.0X3M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING



index 26500
casing: plastic

EAN 5905339265005

⚡ MAX
2500W

IP 20

In 10A



•••• 3X 2P+T/2P+E

🌀 3M

🖌️ WHITE

LUNGA 3 3G1.0X5M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING



index 26501
casing: plastic

EAN 5905339265012

⚡ MAX
2500W

IP 20

In 10A



•••• 3X 2P+T/2P+E

🌀 5M

🖌️ WHITE

LUNGA 4 3G1.0X1.4M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING



index 25951
casing: plastic

EAN 5905339259516

⚡ MAX
2500W

IP 20

In 10A



•••• 4X 2P+T/2P+E

🌀 1,4M

🖌️ WHITE

LUNGA 4 3G1.0X3M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING



index 26502
casing: plastic

EAN 5905339265029

⚡ MAX
2500W

IP 20

In 10A



•••• 4X 2P+T/2P+E

🌀 3M

🖌️ WHITE

LUNGA 4 3G1.0X5M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING



index 26503
casing: plastic

EAN 5905339265036

⚡ MAX
2500W

IP 20

In 10A



•••• 4X 2P+T/2P+E

🌀 5M

🖌️ WHITE



LUNGA 5 3G1.0X1.4M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING

index 25952
casing: plastic

EAN 5905339259523

MAX
2500W

IP 20

10A



••• 5X 2P+T/2P+E 1,4M

WHITE



LUNGA 5 3G1.0X3M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING

index 26504
casing: plastic

EAN 5905339265043

MAX
2500W

IP 20

10A



••• 5X 2P+T/2P+E 3M

WHITE



LUNGA 5 3G1.0X5M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING

index 26505
casing: plastic

EAN 5905339265050

MAX
2500W

IP 20

10A



••• 5X 2P+T/2P+E 5M

WHITE



LUNGA 6 3G1.0X1.4M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING

index 25953
casing: plastic

EAN 5905339259530

MAX
2500W

IP 20

10A



••• 6X 2P+T/2P+E 1,4M

WHITE



LUNGA 6 3G1.0X3M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING

index 26506
casing: plastic

EAN 5905339265067

MAX
2500W

IP 20

10A



••• 6X 2P+T/2P+E 3M

WHITE



LUNGA 6 3G1.0X5M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING

index 26507
casing: plastic

EAN 5905339265074

MAX
2500W

IP 20

10A



••• 6X 2P+T/2P+E 5M

WHITE

LUNGA S3 3G1.0X1.4M

EXTENSION CORD WITH GROUNDING AND SWITCH

250V~;
50/60HZ



index 25954
casing: plastic

EAN 5905339259547

MAX 2500W

IP 20

10A



... 3X 2P+T/2P+E 1,4M

WHITE

LUNGA S3 3G1.0X3M

EXTENSION CORD WITH GROUNDING AND SWITCH

250V~;
50/60HZ



index 26508
casing: plastic

EAN 5905339265081

MAX 2500W

IP 20

10A



... 3X 2P+T/2P+E 3M

WHITE

LUNGA S3 3G1.0X5M

EXTENSION CORD WITH GROUNDING AND SWITCH

250V~;
50/60HZ



index 26509
casing: plastic

EAN 5905339265098

MAX 2500W

IP 20

10A



... 3X 2P+T/2P+E 5M

WHITE

LUNGA S4 3G1.0X1.4M

EXTENSION CORD WITH GROUNDING AND SWITCH

250V~;
50/60HZ



index 25955
casing: plastic

EAN 5905339259554

MAX 2500W

IP 20

10A



... 4X 2P+T/2P+E 1,4M

WHITE

LUNGA S4 3G1.0X3M

EXTENSION CORD WITH GROUNDING AND SWITCH

250V~;
50/60HZ



index 26510
casing: plastic

EAN 5905339265104

MAX 2500W

IP 20

10A



... 4X 2P+T/2P+E 3M

WHITE

LUNGA S4 3G1.0X5M

EXTENSION CORD WITH GROUNDING AND SWITCH

250V~;
50/60HZ



index 26511
casing: plastic

EAN 5905339265111

MAX 2500W

IP 20

10A



... 4X 2P+T/2P+E 5M

WHITE

LUNGA S5 3G1.0X1.4M

250V~;
50/60HZ


EXTENSION CORD WITH GROUNDING AND SWITCH

index 25956
casing: plastic

EAN 5905339259561


 MAX
2500W

IP 20

 10A



... 5X 2P+T/2P+E

 1,4M

 WHITE



LUNGA S5 3G1.0X3M

250V~;
50/60HZ


EXTENSION CORD WITH GROUNDING AND SWITCH

index 26512
casing: plastic

EAN 5905339265128

 MAX
2500W

IP 20

 10A



... 5X 2P+T/2P+E

 3M

 WHITE



LUNGA S5 3G1.0X5M

250V~;
50/60HZ


EXTENSION CORD WITH GROUNDING AND SWITCH

index 26513
casing: plastic

EAN 5905339265135

 MAX
2500W

IP 20

 10A



... 5X 2P+T/2P+E

 5M

 WHITE



LUNGA S6 3G1.0X1.4M

250V~;
50/60HZ


EXTENSION CORD WITH GROUNDING AND SWITCH

index 25957
casing: plastic

EAN 5905339259578


 MAX
2500W

IP 20

 10A



... 6X 2P+T/2P+E

 1,4M

 WHITE



LUNGA S6 3G1.0X3M

250V~;
50/60HZ


EXTENSION CORD WITH GROUNDING AND SWITCH

index 26514
casing: plastic

EAN 5905339265142

 MAX
2500W

IP 20

 10A



... 6X 2P+T/2P+E

 3M

 WHITE



LUNGA S6 3G1.0X5M

250V~;
50/60HZ


EXTENSION CORD WITH GROUNDING AND SWITCH

index 26515
casing: plastic

EAN 5905339265159

 MAX
2500W

IP 20

 10A



... 6X 2P+T/2P+E

 5M

 WHITE



NOKA W 10A 3G1.0X2M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING



index 26200
casing: plastic

EAN 5905339262004

MAX 2500W

IP 20

10A



.... 2P+T/2P+E

2M

WHITE

NOKA W 10A 3G1.0X3M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING



index 26201
casing: plastic

EAN 5905339262011

MAX 2500W

IP 20

10A



.... 2P+T/2P+E

3M

WHITE

NOKA W 10A 3G1.0X5M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING



index 26202
casing: plastic

EAN 5905339262028

MAX 2500W

IP 20

10A



.... 2P+T/2P+E

5M

WHITE

NOKA W 10A 3G1.0X7M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING



index 26203
casing: plastic

EAN 5905339262035

MAX 2500W

IP 20

10A



.... 2P+T/2P+E

7M

WHITE

NOKA W 10A 3G1.0X10M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING



index 26204
casing: plastic

EAN 5905339262042

MAX 2500W

IP 20

10A



.... 2P+T/2P+E

10M

WHITE

NOKA O 10A 3G1.0X15M

250V~;
50/60HZ

EXTENSION CORD WITH GROUNDING



index 26205
casing: plastic

EAN 5905339262059

MAX 2500W

IP 20

10A



.... 2P+T/2P+E

15M

ORANGE



NOKA O 10A 3G1.0X20M

EXTENSION CORD WITH GROUNDING

250V~;
50/60HZ

index 26206
casing: plastic

EAN 5905339262066

MAX
2500W

IP 20

In 10A



.... 2P+T/2P+E

20M

ORANGE



NOKA O 10A 3G1.0X25M

EXTENSION CORD WITH GROUNDING

250V~;
50/60HZ

index 26207
casing: plastic

EAN 5905339262073

MAX
2500W

IP 20

In 10A



.... 2P+T/2P+E

25M

ORANGE



NOKA O 10A 3G1.0X30M

EXTENSION CORD WITH GROUNDING

250V~;
50/60HZ

index 26208
casing: plastic

EAN 5905339262080

MAX
2500W

IP 20

In 10A



.... 2P+T/2P+E

30M

ORANGE



NOKA O 10A 3G1.0X40M

EXTENSION CORD WITH GROUNDING

250V~;
50/60HZ

index 26209
casing: plastic

EAN 5905339262097

MAX
2500W

IP 20

In 10A



.... 2P+T/2P+E

40M

ORANGE



NOKA O 10A 2G1.0X10M

EXTENSION CORD WITH GROUNDING

250V~;
50/60HZ

index 26210
casing: plastic

EAN 5905339262103

MAX
2500W

IP 20

In 10A



.... 2P+T/2P+E

10M

ORANGE



NOKA O 10A 2G1.0X15M

EXTENSION CORD WITH GROUNDING

250V~;
50/60HZ

index 26211
casing: plastic

EAN 5905339262110

MAX
2500W

IP 20

In 10A



.... 2P+T/2P+E

15M

ORANGE



NOKA O 10A 2G1.0X20M

EXTENSION CORD WITH GROUNDING

250V~;
50/60HZ

index 26212
casing: plastic

EAN 5905339262127

⚡ MAX
2500W

IP 20

In 10A



... 2P+T/2P+E

🌀 20M

🎨 ORANGE



NOKA O 10A 2G1.0X30M

EXTENSION CORD WITH GROUNDING

250V~;
50/60HZ

index 26213
casing: plastic

EAN 5905339262134

⚡ MAX
2500W

IP 20

In 10A



... 2P+T/2P+E

🌀 30M

🎨 ORANGE



NOKA O 10A 2G1.0X40M

EXTENSION CORD WITH GROUNDING

250V~;
50/60HZ

index 26214
casing: plastic

EAN 5905339262141

⚡ MAX
2500W

IP 20

In 10A



... 2P+T/2P+E

🌀 40M

🎨 ORANGE



DIVISO W 2

ELECTRICAL DISTRIBUTOR

250V~;
50/60HZ

index 26090
casing: plastic

EAN 5905339260901

⚡ MAX
1250W

IP 20

In 2x2,5A



... 2X C(WJ-11)

🎨 WHITE



DIVISO W 3

ELECTRICAL DISTRIBUTOR

250V~;
50/60HZ

index 26091
casing: plastic

EAN 5905339260918

⚡ MAX
1875W

IP 20

In 3x2,5A



... 3X C(WJ-11)

🎨 WHITE



DIVISO W 4

ELECTRICAL DISTRIBUTOR

250V~;
50/60HZ

index 26092
casing: plastic

EAN 5905339260925

⚡ MAX
2500W

IP 20

In 4x2,5A



... 4X C(WJ-11)

🎨 WHITE



KINET B AC

220V AC

WIRELESS BELL

index 26800

EAN 5905339268006

IP 47

Wireless device without cable installation/ No. of tunes: 29
 Maximum range in the open max 104m
 Remote-receiver operating frequency 433Mhz +/- 1
 No need battery for transmitter/ 4 volume levels

casing: plastic



KINET W AC

220V AC

WIRELESS BELL

index 26801

EAN 5905339268013

IP 47

Wireless device without cable installation/ No. of tunes: 29
 Maximum range in the open max 104m
 Remote-receiver operating frequency 433Mhz +/- 1
 No need battery for transmitter/ 4 volume levels

casing: plastic



JUNIK B AC

RECEIVER 220V AC/
 TRANSMITTER 1X
 MN21/23

WIRELESS BELL

index 26802

EAN 5905339268020

IP 44

Wireless device without cable installation/ No. of tunes: 29
 Maximum range in the open max 96m
 Remote-receiver operating frequency 433 Mhz +/- 1 / 4 volume levels / Transmitter batteries included in the set

casing: plastic



JUNIK W AC

RECEIVER 220V AC/
 TRANSMITTER 1X
 MN21/23

WIRELESS BELL

index 26803

EAN 5905339268013

IP 44

Wireless device without cable installation/ No. of tunes: 29
 Maximum range in the open max 96m
 Remote-receiver operating frequency 433Mhz +/- 1
 4 volume levels / Transmitter batteries included in the set

casing: plastic



ALON B AC

RECEIVER 220V AC/
 TRANSMITTER 1X
 MN21/23

WIRELESS BELL

index 26804

EAN 5905339268044

IP 44

Wireless device without cable installation/ No. of tunes: 36
 Maximum range in the open max 92m
 Remote-receiver operating frequency 433Mhz +/- 1
 Transmitter batteries included in the set/ 4 volume levels

casing: plastic



ALON W AC

RECEIVER 220V AC/
 TRANSMITTER 1X
 MN21/23

WIRELESS BELL

index 26805

EAN 5905339268051

IP 44

Wireless device without cable installation/ No. of tunes: 36
 Maximum range in the open max 92m
 Remote-receiver operating frequency 433Mhz +/- 1
 Transmitter batteries included in the set/ 4 volume levels

casing: plastic



KANPI B AC

RECEIVER 220V AC/
TRANSMITTER 1X
MN21/23

WIRELESS BELL



index 26806 EAN 5905339268068

IP 44

Wireless device without cable installation/ No. of tunes: 36
Maximum range in the open max 85m
Remote-receiver operating frequency 433Mhz +/- 1
Transmitter batteries included in the set/ 4 volume levels

casing: plastic



KANPI W AC

RECEIVER 220V AC/
TRANSMITTER 1X
MN21/23

WIRELESS BELL



index 26807 EAN 5905339268075

IP 44

Wireless device without cable installation/ No. of tunes: 36
Maximum range in the open max 85m
Remote-receiver operating frequency 433Mhz +/- 1
Transmitter batteries included in the set/ 4 volume levels

casing: plastic



KANPI B DC

RECEIVER 220V AC/
TRANSMITTER 1X
MN21/23

WIRELESS BELL



index 26808 EAN 5905339268082

IP 44

Wireless device without cable installation/ No. of tunes: 36
Maximum range in the open max 85m
Remote-receiver operating frequency 433Mhz +/- 1
Transmitter batteries included in the set/ 4 volume levels

casing: plastic



KANPI W DC

RECEIVER 220V AC/
TRANSMITTER 1X
MN21/23

WIRELESS BELL



index 26809 EAN 5905339268099

IP 44

Wireless device without cable installation/ No. of tunes: 36
Maximum range in the open max 85m
Remote-receiver operating frequency 433Mhz +/- 1
Transmitter batteries included in the set/ 4 volume levels

casing: plastic



POWELED P 12V 30W

250V~; 50/60HZ
PRI: 230V AC
SEC: 12V DC

ELECTRONIC TRANSFORMER LED



index 26810 EAN 5905339268105

30W

Voltage stabilization 12V DC

IP 20

2,5A

casing: plastic



POWELED P 12V 60W

250V~; 50/60HZ
PRI: 230V AC
SEC: 12V DC

ELECTRONIC TRANSFORMER LED



index 26811 EAN 5905339268112

60W

Voltage stabilization 12V DC

IP 20

5A

casing: plastic





STIKO LED 12V (24W)

250V~; 50/60HZ
SEC: 12V DC

ELECTRONIC TRANSFORMER LED

index 26080 EAN 5905339260802

24W

Voltage stabilization 12V DC/Equipped with switch
LED strip dedicated

IP 20

2A

casing: plastic



BLACK



SENTO PIR 65

220-240V
50/60HZ

PRESENCE SENSOR

index 26820 EAN 5905339268204

200W

max movement detection range is 20m / max presence detection range 6m / max horizontal operation angle for movement sensor is 360° / max vertical operational angle for movement sensor is 160° / possibility of fitting lighting time control from 5s to 30 min / setting ambient illumination level at which the equipment operates / sensitivity adjustment range of 5...200lx / movement detection: 0.3...3m/s (1...10km/h)

IP 20/65

2A

casing: plastic



WHITE



SENZO PIR 65

220-240V
50/60HZ

MOVEMENT SENSOR

index 26821 EAN 5905339268211

200W

max height mounting 10m / max movement detection range is 20m / max horizontal operation angle for movement sensor is 360° / max vertical operational angle for movement sensor is 160° / possibility of fitting lighting time control from 5s to 30 min / setting ambient illumination level at which the equipment operates / sensitivity adjustment range of 5...200lx / movement detection: 0.3...3m/s (1...10km/h)

IP 20/65

2A


casing: plastic



WHITE


EN











Kanlux



miLEDo

**MILED0 products are available
on PL/CZ/SK/HU/RO/BG/LT/LV/UA markets**



- ✓ IN SET
-  POWER
-  TYPE OF LIGHT SOURCE
-  COLOUR TEMPERATURE
-  LUMINOUS FLUX
-  LIFETIME
- IP** DEGREE OF RESISTANCE TO PENETRATION OF FOREIGN SOLIDS, DUST AND HUMIDITY
-  COLOUR
-  MOTION SENSOR
-   REPLACEABLE / NON-REPLACEABLE LIGHT SOURCE
-  CLASS OF PROTECTION AGAINST ELECTRICAL SHOCK

BAREV N LED 45W-NW

220-240V~;
50/60HZ

LED PANEL



index 30223
casing: aluminium, plastic

EAN 8592969302230

⚡ 45W

💡 3800lm

☀️ LED SMD ✓

IP 20

💡 4000K

🕒 20000h



ON/OFF 15000

🎨 WHITE

BAREV N LED

BAREV ACCESSORIES



see accessories on our website
www.kanlux.com

index 30453

EAN 8592969304531

ADTR BAREV 6060 W

index 30451

EAN 8592969304517

CLIPS BAREV 6060

index 30452

EAN 8592969304524

GRIPS BAREV 6060

index 30450

EAN 8592969304500

ADTR BAREV 6060 W

SP LED 6W NW-R

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30363
casing, diffuser: plastic

EAN 8592969303633

⚡ 6W

💡 390lm

☀️ LED SMD ✓

IP 20

💡 4000K

🕒 15000h



ON/OFF 15000

🎨 WHITE

SP LED 6W NW-S

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30361
casing, diffuser: plastic

EAN 8592969303619

⚡ 6W

💡 390lm

☀️ LED SMD ✓

IP 20

💡 4000K

🕒 15000h



ON/OFF 15000

🎨 WHITE

SP LED 6W WW-R

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30362
casing, diffuser: plastic

EAN 8592969303626

⚡ 6W

💡 370lm

☀️ LED SMD ✓

IP 20

💡 3000K

🕒 15000h



ON/OFF 15000

🎨 WHITE

SP LED 6W WW-S

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30360
casing, diffuser: plastic

EAN 8592969303602

⚡ 6W

💡 370lm

☀️ LED SMD ✓

IP 20

💡 3000K

🕒 15000h



ON/OFF 15000

🎨 WHITE



SP LED 12W NW-R

220-240V-;
50/60HZ

LED LIGHTING FIXTURE

index 30367
casing, diffuser: plastic

EAN 8592969303671 ⚡ 12W

💡 900lm 📦 LED SMD ✓

IP 20 🌞 4000K 🕒 15000h



ON/OFF 15000 🎨 WHITE



SP LED 12W NW-S

220-240V-;
50/60HZ

LED LIGHTING FIXTURE

index 30365
casing, diffuser: plastic

EAN 8592969303657 ⚡ 12W

💡 900lm 📦 LED SMD ✓

IP 20 🌞 4000K 🕒 15000h



ON/OFF 15000 🎨 WHITE



SP LED 12W WW-R

220-240V-;
50/60HZ

LED LIGHTING FIXTURE

index 30366
casing, diffuser: plastic

EAN 8592969303664 ⚡ 12W

💡 850lm 📦 LED SMD ✓

IP 20 🌞 3000K 🕒 15000h



ON/OFF 15000 🎨 WHITE



SP LED 12W WW-S

220-240V-;
50/60HZ

LED LIGHTING FIXTURE

index 30364
casing, diffuser: plastic

EAN 8592969303640 ⚡ 12W

💡 850lm 📦 LED SMD ✓

IP 20 🌞 3000K 🕒 15000h



ON/OFF 15000 🎨 WHITE



SP LED 18W NW-R

220-240V-;
50/60HZ

LED LIGHTING FIXTURE

index 30371
casing, diffuser: plastic

EAN 8592969303718 ⚡ 18W

💡 1350lm 📦 LED SMD ✓

IP 20 🌞 4000K 🕒 15000h



ON/OFF 15000 🎨 WHITE



SP LED 18W NW-S

220-240V-;
50/60HZ

LED LIGHTING FIXTURE

index 30369
casing, diffuser: plastic

EAN 8592969303695 ⚡ 18W

💡 1350lm 📦 LED SMD ✓

IP 20 🌞 4000K 🕒 15000h



ON/OFF 15000 🎨 WHITE

W
W
W
·
K
A
N
L
U
X
·
C
O
M

SP LED 18W WW-R

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30370
casing, diffuser: plastic

EAN 8592969303701 ⚡ 18W

💡 1250lm ☑️ LED SMD ✓

IP 20 🌞 3000K 🕒 15000h



ON/OFF 15000 🖌️ WHITE

SP LED 18W WW-S

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30368
casing, diffuser: plastic

EAN 8592969303688 ⚡ 18W

💡 1250lm ☑️ LED SMD ✓

IP 20 🌞 3000K 🕒 15000h



ON/OFF 15000 🖌️ WHITE

SP LED 24W NW-R

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30375
casing, diffuser: plastic

EAN 8592969303756 ⚡ 24W

💡 1900lm ☑️ LED SMD ✓

IP 20 🌞 4000K 🕒 15000h



ON/OFF 15000 🖌️ WHITE

SP LED 24W NW-S

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30373
casing, diffuser: plastic

EAN 8592969303732 ⚡ 24W

💡 1900lm ☑️ LED SMD ✓

IP 20 🌞 4000K 🕒 15000h



ON/OFF 15000 🖌️ WHITE

SP LED 24W WW-R

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30374
casing, diffuser: plastic

EAN 8592969303749 ⚡ 24W

💡 1700lm ☑️ LED SMD ✓

IP 20 🌞 3000K 🕒 15000h



ON/OFF 15000 🖌️ WHITE

SP LED 24W WW-S

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30372
casing, diffuser: plastic

EAN 8592969303725 ⚡ 24W

💡 1700lm ☑️ LED SMD ✓


IP 20 🌞 3000K 🕒 15000h



ON/OFF 15000 🖌️ WHITE

SP FRAME 6W-R

SURFACE MOUNTING FRAME




index 30381 EAN 8592969303817
 casing: plastic

Possible use in luminaires:
 30363,30362



SP FRAME 6W-S

SURFACE MOUNTING FRAME




index 30380 EAN 8592969303800
 casing: plastic

Possible use in luminaires:
 30361, 30360



SP FRAME 12W-R

SURFACE MOUNTING FRAME




index 30383 EAN 8592969303831
 casing: plastic

Possible use in luminaires:
 30367,30366



SP FRAME 12W-S

SURFACE MOUNTING FRAME




index 30382 EAN 8592969303824
 casing: plastic

Possible use in luminaires:
 30365,30364



SP FRAME 18W-R

SURFACE MOUNTING FRAME




index 30385 EAN 8592969303855
 casing: plastic

Possible use in luminaires:
 30371,30370



SP FRAME 18W-S

SURFACE MOUNTING FRAME



index 30384 EAN 8592969303848
 casing: plastic

Possible use in luminaires:
 30369,30368



GRUN N LED-10-B

220-240V~;
50/60HZ

LED FLOODLIGHT



index 30350

EAN 8592969303503

⚡ 10W

💡 700lm

☀️ LED SMD ✓

casing: aluminum alloy / protective panel: tempered glass /
extension arm: ferrous metal

IP 44

💡 4000K

🕒 20000h



🌒 180°

🎨 BLACK

GRUN N LED-20-B

220-240V~;
50/60HZ

LED FLOODLIGHT



index 30351

EAN 8592969303510

⚡ 20W

💡 1400lm

☀️ LED SMD ✓

casing: aluminum alloy / protective panel: tempered glass /
extension arm: ferrous metal

IP 44

💡 4000K

🕒 20000h



🌒 180°

🎨 BLACK

GRUN N LED-30-B

220-240V~;
50/60HZ

LED FLOODLIGHT



index 30352

EAN 8592969303527

⚡ 30W

💡 2100lm

☀️ LED SMD ✓

casing: aluminum alloy / protective panel: tempered glass /
extension arm: ferrous metal

IP 44

💡 4000K

🕒 20000h



🌒 180°

🎨 BLACK

GRUN N LED-50-B

220-240V~;
50/60HZ

LED FLOODLIGHT



index 30353

EAN 8592969303534

⚡ 50W

💡 3500lm

☀️ LED SMD ✓

casing: aluminum alloy / protective panel: tempered glass /
extension arm: ferrous metal

IP 44

💡 4000K

🕒 20000h



🌒 180°

🎨 BLACK

GRUN N LED-10-B-SE

220-240V~;
50/60HZ

LED FLOODLIGHT WITH MOVEMENT SENSOR



index 30324

EAN 8592969303244

⚡ 10W

💡 700lm

☀️ LED SMD ✓

casing: aluminum alloy / protective panel: tempered glass /
extension arm: ferrous metal

IP 65

💡 4000K

🕒 20000h



🌒 180°

🎨 BLACK

GRUN N LED-20-B-SE

220-240V~;
50/60HZ

LED FLOODLIGHT WITH MOVEMENT SENSOR



index 30325

EAN 8592969303251

⚡ 20W

💡 1400lm

☀️ LED SMD ✓

casing: aluminum alloy / protective panel: tempered glass /
extension arm: ferrous metal

IP 65

💡 4000K

🕒 20000h



🌒 180°

🎨 BLACK



GRUN N LED-30-B-SE

220-240V-;
50/60HZ

LED FLOODLIGHT WITH MOVEMENT SENSOR

index 30326

EAN 8592969303268

⚡ 30W

💡 2100lm

☀️ LED SMD ✓

casing: aluminum alloy / protective panel: tempered glass /
extension arm: ferrous metal

IP 65

💡 4000K

🕒 20000h



🌙 180°

🎨 BLACK



GRUN N LED-50-B-SE

220-240V-;
50/60HZ

LED FLOODLIGHT WITH MOVEMENT SENSOR

index 30327

EAN 8592969303275

⚡ 50W

💡 3500lm

☀️ LED SMD ✓

casing: aluminum alloy / protective panel: tempered glass /
extension arm: ferrous metal

IP 65

💡 4000K

🕒 20000h



🌙 180°

🎨 BLACK



DICHT N 218/4LED/PS

220-240V-;
50/60HZ

DUSTPROOF LIGHT FIXTURE

index 30182

EAN 8592969301820

⚡ 2x18W

🔌 G13

🔌 T8 LED

ABS/polystyrene

IP 65



🎨 GREY



DICHT N 236/4LED/PS

220-240V-;
50/60HZ

DUSTPROOF LIGHT FIXTURE

index 30183

EAN 8592969301837

⚡ 2x36W

🔌 G13

🔌 T8 LED

ABS/polystyrene

IP 65



🎨 GREY



DUNO LED 15W-NW-O

220-240V-;
50/60HZ

LED LIGHTING FIXTURE

index 30411

EAN 8592969304111

⚡ 15W

💡 1280lm

☀️ LED SMD ✓

casing: plastic

IP 20

💡 4000K

🕒 15000h



🕒 15000

🎨 WHITE



DUNO LED 15W-WW-O

220-240V-;
50/60HZ

LED LIGHTING FIXTURE

index 30410

EAN 8592969304104

⚡ 15W

💡 1200lm

☀️ LED SMD ✓

casing: plastic

IP 20

💡 3000K

🕒 15000h



🕒 15000

🎨 WHITE

DUNO LED 24W-NW-O

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30413
casing: plastic

EAN 8592969304135

24W

2000lm

LED SMD ✓

IP 20

4000K

15000h



ON OFF 15000

WHITE

DUNO LED 24W-WW-O

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30412
casing: plastic

EAN 8592969304128

24W

1900lm

LED SMD ✓

IP 20

3000K

15000h



ON OFF 15000

WHITE

CORSO N LED 12-NW

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30420
casing: metal, diffuser: plastic

EAN 8592969304203

12W

800lm

LED SMD ✓

IP 44

4000K

20000h



ON OFF 10000

WHITE

CORSO N LED 18-NW

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30421
casing: metal, diffuser: plastic

EAN 8592969304210

18W

1200lm

LED SMD ✓

IP 44

4000K

20000h



ON OFF 10000

WHITE

CORSO N LED 24-NW

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30422
casing: metal, diffuser: plastic

EAN 8592969304227

24W

1600lm

LED SMD ✓

IP 44

4000K

20000h



ON OFF 10000

WHITE

CORSO N LED 12-NW-SE

220-240V~;
50/60HZ

LED LIGHTING FIXTURE



index 30423
casing: metal, diffuser: plastic

EAN 8592969304234

12W

800lm

LED SMD ✓

IP 44

4000K

20000h



ON OFF 10000

WHITE

CORSO N LED 18-NW-SE

220-240V-;
50/60HZ

LED LIGHTING FIXTURE



index 30424

EAN 8592969304241

⚡ 18W

💡 1200lm

🔦 LED SMD ✓

casing: metal, diffuser: plastic

IP 44

💡 4000K

🕒 20000h



ON/OFF 10000

🎨 WHITE

CORSO N LED 24-NW-SE

220-240V-;
50/60HZ

LED LIGHTING FIXTURE



index 30425

EAN 8592969304258

⚡ 24W

💡 1600lm

🔦 LED SMD ✓

casing: metal, diffuser: plastic

IP 44

💡 4000K

🕒 20000h



ON/OFF 10000

🎨 WHITE

ANDO 4LED 1X60

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 30460

EAN 8592969304609

⚡ 18W

🔦 G13

🔦 T8 LED

casing: metal / diffuser: plastic

IP 20



🎨 WHITE

ANDO 4LED 1X120

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 30461

EAN 8592969304616

⚡ 36W

🔦 G13

🔦 T8 LED

casing: metal / diffuser: plastic

IP 20



🎨 WHITE

ANDO 4LED 1X150

220-240V-;
50/60HZ

LINEAR LIGHT FIXTURE



index 30462

EAN 8592969304623

⚡ 56W

🔦 T8 LED

casing: metal / diffuser: plastic

IP 20




🎨 WHITE

ANDO LINK

250V-

ANDO CONNECTING CABLE



index 30463

EAN 8592969304630

⚡ 2AW



🎨 WHITE

ANDO PLUG

250V-



ANDO PLUG

index 30464

EAN 8592969304647

2AW



WHITE

ZENI 14-G

12V



DECORATIVE RING

index 30241

EAN 8592969302414

MAX 35W

Gx5,3

MR-16

plastic
no socket included

IP 20



GREY

ZENI 15-G

12V



DECORATIVE RING

index 30245

EAN 8592969302452

MAX 35W

Gx5,3

MR-16

plastic
no socket included

IP 20



GREY

ZENI 14-W

12V



DECORATIVE RING

index 30240

EAN 8592969302407

MAX 35W

Gx5,3

MR-16

plastic
no socket included

IP 20



WHITE

ZENI 15-W

12V



DECORATIVE RING

index 30244

EAN 8592969302445

MAX 35W

Gx5,3

MR-16

plastic
no socket included

IP 20



WHITE

MIO LED3W R39 E14-NW

220-240V-



LED LAMPS

index 30401

EAN 8592969304012

3W

270lm

LED SMD

E14

4000K

15000h

ON/OFF 15000



MIO LED3W R39 E14-WW

220-240V-

LED LAMPS

index 30400	EAN 8592969304005	3W	250lm	LED SMD
		E14	3000K	15000h
				15000



MIO LED5W R50 E14-NW

220-240V-

LED LAMPS

index 30403	EAN 8592969304036	5W	420lm	LED SMD
		E14	4000K	15000h
				15000



MIO LED5W R50 E14-WW

220-240V-

LED LAMPS

index 30402	EAN 8592969304029	5W	400lm	LED SMD
		E14	3000K	15000h
				15000



MIO LED7W R63 E27-NW

220-240V-

LED LAMPS

index 30405	EAN 8592969304050	7W	580lm	LED SMD
		E27	4000K	15000h
				15000



MIO LED7W R63 E27-WW

220-240V-

LED LAMPS

index 30404	EAN 8592969304043	7W	560lm	LED SMD
		E14	3000K	15000h
				15000



MIO LED15W A60 E27-NW

220-240V-

LED LAMPS

index 30441	EAN 8592969304418	15W	1250lm	LED SMD
		E27	4000K	15000h
				15000

MIO LED15W A60 E27-WW

220-240V-

LED LAMPS



index 30440

EAN 8592969304401

15W

1250lm

LED SMD

E27

3000K

15000h

15000

MIO LED8W C37 E14-WW

220-240V-

LED LAMPS



index 30442

EAN 8592969304425

8W

600lm

LED SMD

E14

3000K

15000h

15000

MIO LED8W G45 E14-WW

220-240V-

LED LAMPS



index 30443

EAN 8592969304432

8W

600lm

LED SMD

E14

3000K

15000h

15000

MIO LED8W G45 E27-WW

220-240V-

LED LAMPS



index 30444

EAN 8592969304449

8W

600lm

LED SMD

E27

IP 20

3000K

15000h

15000

MIO LED8W GU10-CW

220-240V-

LED LAMPS



index 30446

EAN 8592969304463

8W

580lm

LED SMD

GU10

4000K

15000h

10000

MIO LED8W GU10-WW

220-240V-

LED LAMPS



index 30445

EAN 8592969304456

8W

580lm

LED SMD

GU10

3000K

15000h


10000

H-PE

250V~

SCREW FITTING



index	30430	EAN	8592969304302	H-2.5MM2 PE MI	 1÷2,5	
index	30431	EAN	8592969304319	H-4MM2 PE MI		1,5÷4
index	30432	EAN	8592969304326	H-6MM2 PE MI		2,5÷6
index	30433	EAN	8592969304333	H-10MM2 PE MI		4÷10 polyethylene
index	30434	EAN	8592969304340	H-16MM2 PE MI		6÷16  WHITE

ALPHABETICAL INDEX

NOKA O 10A 2G1.OX10M	26210	49	ASTEN LED IP44 12W-NW	26681	27	KANPI B DC	26808	52	NESTA DSL-W	26745	21
NOKA O 10A 2G1.OX15M	26211	49	ASTEN LED IP44 15W-NW	26682	27	KANPI W AC	26807	52	NESTA DTL-B	26750	22
NOKA O 10A 2G1.OX20M	26212	50	ASTEN LED IP44 8W-NW	26680	26	KANPI W DC	26809	52	NESTA DTL-C	26751	22
NOKA O 10A 2G1.OX30M	26213	50	AVAR 6060 40W-NW	26770	7	KINET B AC	26800	51	NESTA DTL-C/M	26752	22
NOKA O 10A 2G1.OX40M	26214	50	AWAN LED C-W	26491	28	KINET W AC	26801	51	NESTA DTL-W	26749	22
NOKA O 10A 3G1.OX15M	26205	48	AWAN LED S-W	26490	28	LEDS SET B-SE DBL	26325	39	NIFO LED 14W E27-WWW-W	26050	37
NOKA O 10A 3G1.OX20M	26206	49	BAREV N LED 45W-NW	30223	56	LEDS SET B-SE SGL	26324	39	NIFO LED 20W E27-WWW-W	26052	37
NOKA O 10A 3G1.OX25M	26207	49	BILO HI 8W E14-NW	26763	34	LEDS SET S-DIM IR	26320	38	NIFO LED 22W E27-WWW-W	26054	37
NOKA O 10A 3G1.OX30M	26208	49	BILO HI 8W E14-WWW	26762	34	LEDS SET S-DIM TS	26321	38	ORID LED CW	23117	28
NOKA O 10A 3G1.OX40M	26209	49	BILO HI 8W E27-NW	26765	34	LEDS SET W-SE ACCU	26322	38	ORID LED WWW	23116	28
NOKA W 10A 3G1.OX10M	26204	48	BILO HI 8W E27-WWW	26764	34	LEDS SET W-SE BTRY	26323	38	ORNER C-2	26311	14
NOKA W 10A 3G1.OX2M	26200	48	CLIPS BAREV 6060	30451	56	LINAR LED CW	23113	27	ORNER M-3	26319	14
NOKA W 10A 3G1.OX3M	26201	48	COLIE DTO-AL	26742	19	LINAR LED WWW	23112	27	POWELED P 12V 30W	26810	52
NOKA W 10A 3G1.OX5M	26202	48	COLIE DTO-B	26743	20	LIRIA LED CW	23115	28	POWELED P 12V 60W	26811	52
NOKA W 10A 3G1.OX7M	26203	48	COLIE DTO-G	26741	19	LIRIA LED WWW	23114	28	PROFILO B	19161	39
4PACK A60-12W E27-WWW	25391	32	COLIE DTO-GR	26744	20	LUNGA 3 3G1.OX1.4M	25950	44	PROFILO B 2M	26540	39
ADTR BAREV 6060 W	30453	56	COLIE DTO-W	26740	19	LUNGA 3 3G1.OX3M	26500	44	PROFILO C	19162	39
ALDO 4LED 1X120	26361	4	CORSO N LED 12-NW	30420	62	LUNGA 3 3G1.OX5M	26501	44	PROFILO C 2M	26541	39
ALDO 4LED 1X120R	26371	4	CORSO N LED 12-NW-SE	30423	62	LUNGA 4 3G1.OX1.4M	25951	44	PROFILO D	19163	39
ALDO 4LED 1X150	26362	4	CORSO N LED 18-NW	30421	62	LUNGA 4 3G1.OX3M	26502	44	PROFILO D 2M	26542	39
ALDO 4LED 1X150R	26372	4	CORSO N LED 18-NW-SE	30424	63	LUNGA 4 3G1.OX5M	26503	44	PROFILO E	19164	39
ALDO 4LED 1X60	26360	4	CORSO N LED 24-NW	30422	62	LUNGA 5 3G1.OX1.4M	25952	45	PROFILO E 2M	26543	39
ALDO 4LED 1X60R	26370	4	CORSO N LED 24-NW-SE	30425	63	LUNGA 5 3G1.OX3M	26504	45	PROFILO F	26552	40
ALDO 4LED 2X120	26364	5	DABA N LED SMD DL-16W	19062	7	LUNGA 5 3G1.OX5M	26505	45	PROFILO F 2M	26553	40
ALDO 4LED 2X120R	26374	5	DABA N LED SMD DL-22W	19063	7	LUNGA 6 3G1.OX1.4M	25953	45	PROFILO G	26558	40
ALDO 4LED 2X150	26365	5	DICHT N 218/4LED/PS	30182	61	LUNGA 6 3G1.OX3M	26506	45	PROFILO G 2M	26559	40
ALDO 4LED 2X150R	26375	5	DICHT N 236/4LED/PS	30183	61	LUNGA 6 3G1.OX5M	26507	45	PROFILO H	26560	40
ALDO 4LED 2X60	26363	5	DIVISO W 2	26090	50	LUNGA S3 3G1.OX1.4M	25954	46	PROFILO H 2M	26561	40
ALDO 4LED 2X60R	26373	5	DIVISO W 3	26091	50	LUNGA S3 3G1.OX3M	26508	46	PROFILO I	26554	40
ALON B AC	26804	51	DIVISO W 4	26092	50	LUNGA S3 3G1.OX5M	26509	46	PROFILO I 2M	26555	40
ALON W AC	26805	51	DIXI FILLED 8W E27-WWW	26044	33	LUNGA S4 3G1.OX1.4M	25955	46	PROFILO J	26544	40
ALOR DS-B	26727	23	DOSAN LED B	26691	29	LUNGA S4 3G1.OX3M	26510	46	PROFILO J 2M	26545	40
ALOR DS-BR/M	26730	23	DOSAN LED W	26690	29	LUNGA S4 3G1.OX5M	26511	46	PROFILO K	26548	40
ALOR DS-C	26728	23	DUN HI 8W E14-NW	26761	35	LUNGA S5 3G1.OX1.4M	25956	47	PROFILO K 2M	26549	40
ALOR DS-C/M	26729	23	DUN HI 8W E14-WWW	26760	34	LUNGA S5 3G1.OX3M	26512	47	RANGO R7S SMD-NW	26420	38
ALOR DSO-B	26791	24	DUNO LED 15W-NW-0	30411	61	LUNGA S5 3G1.OX5M	26513	47	RANGO R7S SMD-WWW	15098	38
ALOR DSO-BR/M	26794	25	DUNO LED 15W-WW-0	30410	61	LUNGA S6 3G1.OX1.4M	25957	47	RAPID HI LED E27-NW	25401	33
ALOR DSO-C	26792	24	DUNO LED 24W-NW-0	30413	62	LUNGA S6 3G1.OX3M	26514	47	RAPID HI LED E27-WWW	25400	32
ALOR DSO-C/M	26793	25	DUNO LED 24W-WW-0	30412	62	LUNGA S6 3G1.OX5M	26515	47	RAPID MAXX LED B22-CW	23285	32
ALOR DSO-W	26790	24	FULLED GU10-3.3W-CW	26035	36	MERIL DLP-250-W	26481	15	RAPID MAXX LED B22-WWW	23284	32
ALOR DS-W	26726	22	FULLED GU10-3.3W-NW	26034	35	MERIL DLP-50-W	26480	14	RAPID PRO LED B22-CW	22953	32
ALOR DT-B	26732	23	FULLED GU10-3.3WS3-CW	26032	35	MID LED15W A60E27-NW	30441	65	RAPID PRO LED B22-WWW	22952	32
ALOR DT-BR/M	26735	24	FULLED GU10-3.3WS3-NW	26031	35	MID LED15W A60E27-WWW	30440	66	ROLSO LED IP44 15W-NW	26700	27
ALOR DT-C	26733	24	FULLED GU10-3.3WS3-WWW	26030	35	MID LED3W R39 E14-NW	30401	64	ROLSO LED IP44 20W-NW	26701	27
ALOR DT-C/M	26734	24	FULLED GU10-3.3W-WWW	26033	35	MID LED3W R39 E14-WWW	30400	65	SANSO LED 15W-NW-SE	26520	7
ALOR DTO-B	26796	25	G125 FILLED 6W-WWW	26042	34	MID LED5W R50 E14-NW	30403	65	SANVI LED 16W-NW	26660	8
ALOR DTO-BR/M	26799	26	G9 GLASS LED2W-CW	26631	36	MID LED5W R50 E14-WWW	30402	65	SANVI LED 16W-RM	26664	8
ALOR DTO-C	26797	25	G9 GLASS LED2W-WWW	26630	36	MID LED7W R63 E27-NW	30405	65	SANVI LED 16W-WWW	26661	8
ALOR DTO-C/M	26798	25	GORD DLP 250-AL	25475	14	MID LED7W R63 E27-WWW	30404	65	SANVI LED 21W-NW	26662	8
ALOR DTO-W	26795	25	GORD DLP 250-B	25474	14	MID LED8W C37 E14-WWW	30442	66	SANVI LED 21W-WWW	26663	8
ALOR DT-W	26731	23	GORD DLP 250-W	25473	14	MID LED8W G45 E14-WWW	30443	66	SANVI RING 16-BZ	26668	8
ALREN DTL-B	26754	16	GRIPS BAREV 6060	30452	56	MID LED8W G45 E27-WWW	30444	66	SANVI RING 16-SR	26666	9
ALREN DTL-C	26755	16	GRUN N LED-10-B	30350	60	MID LED8W GU10-CW	30446	66	SANVI RING 16-W	26667	9
ALREN DTL-C/M	26756	17	GRUN N LED-10-B-SE	30324	60	MID LED8W GU10-WWW	30445	66	SANVI RING 21-BZ	26671	9
ALREN DTL-W	26753	16	GRUN N LED-20-B	30351	60	MOD 12W LED-NW	25730	36	SANVI RING 21-SR	26669	9
ANDO 4LED 1X120	30461	63	GRUN N LED-20-B-SE	30325	60	MOD 12W LED-WWW	25732	37	SANVI RING 21-W	26670	9
ANDO 4LED 1X150	30462	63	GRUN N LED-30-B	30352	60	MOD 20W LED-NW	25731	37	SEIDY CT-DTL250-W/M	19455	20
ANDO 4LED 1X60	30460	63	GRUN N LED-30-B-SE	30326	61	MOD 20W LED-WWW	25733	37	SEIDY CT-DTL50-W/M	19454	20
ANDO LINK	30463	63	GRUN N LED-50-B	30353	60	MORTA CT-DTL50-B	26719	19	SENTO PIR 65	26820	53
ANDO PLUG	30464	64	GRUN N LED-50-B-SE	30327	61	MORTA CT-DTL50-SR	26718	19	SENZO PIR 65	26821	53
APRILA DTL-W	26739	17	H-10MM2 PE MI	30433	67	MORTA CT-DT050-B	26717	19	SP FRAME 12W-R	30383	59
APRILA DTO-W	26738	17	H-16MM2 PE MI	30434	67	MORTA CT-DT050-SR	26716	18	SP FRAME 12W-S	30382	59
ARET 1XMR16-C/M	26722	15	H-2.5MM2 PE MI	30430	67	MORTA OCT-B	26715	18	SP FRAME 18W-R	30385	59
ARET 1XMR16-GR	26721	15	H-4MM2 PE MI	30431	67	MORTA OCT-SR	26714	18	SP FRAME 18W-S	30384	59
ARET 1XMR16-W	26720	15	H-6MM2 PE MI	30432	67	MORTA T L-B	26713	18	SP FRAME 6W-R	30381	59
ARET 2XMR16-C/M	26725	16	IMOE DSL50	26071	15	MORTA T L-SR	26712	18	SP FRAME 6W-S	30380	59
ARET 2XMR16-GR	26724	16	IMOE DS050	26070	15	MORTA T O-B	26711	18	SP LED 12W NW-R	30367	57
ARET 2XMR16-W	26723	16	IVIAN LED 4,5W SN-NW	25783	26	MORTA T O-SR	26710	17	SP LED 12W NW-S	30365	57
ARTO 1L-SR	26611	6	IVIAN LED 4,5W SN-WWW	25781	26	NALEN L-AL	26454	21	SP LED 12W WWW-R	30366	57
ARTO 1L-W	26610	6	IVIAN LED 4,5W W-NW	25782	26	NALEN L-B	26453	21	SP LED 12W WWW-S	30364	57
ARTO 10-SR	26613	6	IVIAN LED 4,5W W-WWW	25780	26	NALEN O-AL	26451	20	SP LED 18W NW-R	30371	57
ARTO 10-W	26612	6	IVRI DTL-W	26737	17	NALEN O-B	26450	20	SP LED 18W NW-S	30369	57
ARTO 2L-SR	26614	6	IVRI DTO-W	26736	17	NALEN O-SC	26452	21	SP LED 18W WWW-R	30370	58
ARTO 2L-W	26615	6	JUNIK B AC	26802	51	NESTA DSL-B	26746	21	SP LED 18W WWW-S	30368	58
ARTO 3L-SR	26616	7	JUNIK W AC	26803	51	NESTA DSL-C	26747	21	SP LED 24W NW-R	30375	58
ARTO 3L-W	26617	7	KANPI B AC	26806	52	NESTA DSL-C/M	26748	22	SP LED 24W NW-S	30373	58

SP LED 24W WW-R	30374	58	ST64 FILLED 6W-WWW	26041	33	VARSO LED 18W-WWW-L	26442	10	ZENI 14-G	30241	64
SP LED 24W WWW-S	30372	58	STIKO LED 12V (24W)	26080	53	VARSO LED 18W-WWW-O	26440	10	ZENI 14-W	30240	64
SP LED 6W NW-R	30363	56	TAXI SMD L C/M-NW	26461	11	VARSO LED 24W-NW-L	26447	10	ZENI 15-G	30245	64
SP LED 6W NW-S	30361	56	TAXI SMD L C/M-WWW	26460	11	VARSO LED 24W-NW-O	26445	10	ZENI 15-W	30244	64
SP LED 6W WWW-R	30362	56	TAXI SMD P C/M-NW	26463	11	VARSO LED 24W-WWW-L	26446	10	ZUBI HI LED4W69-WWW	24524	36
SP LED 6W WWW-S	30360	56	TAXI SMD P C/M-WWW	26462	11	VARSO LED 24W-WWW-O	26444	11	ZUBI LED 3,5W E14-WWW	24525	36
SPN2 BAREV 6060	30450	56	VARSO LED 18W-NW-L	26443	9	WIDE N LED E27-NW	22865	33			
ST64 FILLED 4W-WWW	26040	33	VARSO LED 18W-NW-O	26441	10	WIDE N LED E27-WWW	22864	33			

15098	RANGO R7S SMD-WWW	38	26080	STIKO LED 12V (24W)	53	26491	AWAN LED C-W	28	26700	ROLSO LED IP44 15W-NW	27
19062	DABA N LED SMD DL-16W	7	26090	DIVISO W 2	50	26500	LUNGA 3 3G1.OX3M	44	26701	ROLSO LED IP44 20W-NW	27
19063	DABA N LED SMD DL-22W	7	26091	DIVISO W 3	50	26501	LUNGA 3 3G1.OX5M	44	26710	MORTA T O-SR	17
19161	PROFILO B	39	26092	DIVISO W 4	50	26502	LUNGA 4 3G1.OX3M	44	26711	MORTA T O-B	18
19162	PROFILO C	39	26200	NOKA W 10A 3G1.OX2M	48	26503	LUNGA 4 3G1.OX5M	44	26712	MORTA T L-SR	18
19163	PROFILO D	39	26201	NOKA W 10A 3G1.OX3M	48	26504	LUNGA 5 3G1.OX3M	45	26713	MORTA T L-B	18
19164	PROFILO E	39	26202	NOKA W 10A 3G1.OX5M	48	26505	LUNGA 5 3G1.OX5M	45	26714	MORTA OCT-SR	18
19454	SEIDY CT-DTL50-W/M	20	26203	NOKA W 10A 3G1.OX7M	48	26506	LUNGA 6 3G1.OX3M	45	26715	MORTA OCT-B	18
19455	SEIDY CT-DTL250-W/M	20	26204	NOKA W 10A 3G1.OX10M	48	26507	LUNGA 6 3G1.OX5M	45	26716	MORTA CT-DTO50-SR	18
22864	WIDE N LED E27-WWW	33	26205	NOKA O 10A 3G1.OX15M	48	26508	LUNGA S3 3G1.OX3M	46	26717	MORTA CT-DTO50-B	19
22865	WIDE N LED E27-NW	33	26206	NOKA O 10A 3G1.OX20M	49	26509	LUNGA S3 3G1.OX5M	46	26718	MORTA CT-DTL50-SR	19
22952	RAPID PRO LED B22-WWW	32	26207	NOKA O 10A 3G1.OX25M	49	26510	LUNGA S4 3G1.OX3M	46	26719	MORTA CT-DTL50-B	19
22953	RAPID PRO LED B22-CW	32	26208	NOKA O 10A 3G1.OX30M	49	26511	LUNGA S4 3G1.OX5M	46	26720	ARET 1XMR16-W	15
23112	LINAR LED WW	27	26209	NOKA O 10A 3G1.OX40M	49	26512	LUNGA S5 3G1.OX3M	47	26721	ARET 1XMR16-GR	15
23113	LINAR LED CW	27	26210	NOKA O 10A 2G1.OX10M	49	26513	LUNGA S5 3G1.OX5M	47	26722	ARET 1XMR16-C/M	15
23114	LIRIA LED WW	28	26211	NOKA O 10A 2G1.OX15M	49	26514	LUNGA S6 3G1.OX3M	47	26723	ARET 2XMR16-W	16
23115	LIRIA LED CW	28	26212	NOKA O 10A 2G1.OX20M	50	26515	LUNGA S6 3G1.OX5M	47	26724	ARET 2XMR16-GR	16
23116	ORID LED WW	28	26213	NOKA O 10A 2G1.OX30M	50	26520	SANSO LED 15W-NW-SE	7	26725	ARET 2XMR16-C/M	16
23117	ORID LED CW	28	26214	NOKA O 10A 2G1.OX40M	50	26540	PROFILO B 2M	39	26726	ALOR DS-W	22
23284	RAPID MAXX LED B22-WWW	32	26311	ORNER C-2	14	26541	PROFILO C 2M	39	26727	ALOR DS-B	23
23285	RAPID MAXX LED B22-CW	32	26319	ORNER M-3	14	26542	PROFILO D 2M	39	26728	ALOR DS-C	23
24524	ZUBI HI LED4W69-WWW	36	26320	LEDS SET S-DIM IR	38	26543	PROFILO E 2M	39	26729	ALOR DS-C/M	23
24525	ZUBI LED 3,5W E14-WWW	36	26321	LEDS SET S-DIM TS	38	26544	PROFILO J	40	26730	ALOR DS-BR/M	23
25391	4PACK A60-12W E27-WWW	32	26322	LEDS SET W-SE ACCU	38	26545	PROFILO J 2M	40	26731	ALOR DT-W	23
25400	RAPID HI LED E27-WWW	32	26323	LEDS SET W-SE BTRY	38	26548	PROFILO K	40	26732	ALOR DT-B	23
25401	RAPID HI LED E27-NW	33	26324	LEDS SET B-SE SGL	39	26549	PROFILO K 2M	40	26733	ALOR DT-C	24
25473	GORD DLP 250-W	14	26325	LEDS SET B-SE DBL	39	26552	PROFILO F	40	26734	ALOR DT-C/M	24
25474	GORD DLP 250-B	14	26360	ALDO 4LED 1X60	4	26553	PROFILO F 2M	40	26735	ALOR DT-BR/M	24
25475	GORD DLP 250-AL	14	26361	ALDO 4LED 1X120	4	26554	PROFILO I	40	26736	IVRI DTO-W	17
25730	MOD 12W LED-NW	36	26362	ALDO 4LED 1X150	4	26555	PROFILO I 2M	40	26737	IVRI DTL-W	17
25731	MOD 20W LED-NW	37	26363	ALDO 4LED 2X60	5	26558	PROFILO G	40	26738	APRILA DTO-W	17
25732	MOD 12W LED-WWW	37	26364	ALDO 4LED 2X120	5	26559	PROFILO G 2M	40	26739	APRILA DTL-W	17
25733	MOD 20W LED-WWW	37	26365	ALDO 4LED 2X150	5	26560	PROFILO H	40	26740	COLIE DTO-W	19
25780	IVIAN LED 4,5W W-WWW	26	26370	ALDO 4LED 1X60R	4	26561	PROFILO H 2M	40	26741	COLIE DTO-G	19
25781	IVIAN LED 4,5W SN-WWW	26	26371	ALDO 4LED 1X120R	4	26610	ARTO 1L-W	6	26742	COLIE DTO-AL	19
25782	IVIAN LED 4,5W W-NW	26	26372	ALDO 4LED 1X150R	4	26611	ARTO 1L-SR	6	26743	COLIE DTO-B	20
25783	IVIAN LED 4,5W SN-NW	26	26373	ALDO 4LED 2X60R	5	26612	ARTO 10-W	6	26744	COLIE DTO-GR	20
25950	LUNGA 3 3G1.OX1.4M	44	26374	ALDO 4LED 2X120R	5	26613	ARTO 10-SR	6	26745	NESTA DSLW	21
25951	LUNGA 4 3G1.OX1.4M	44	26375	ALDO 4LED 2X150R	5	26614	ARTO 2L-SR	6	26746	NESTA DSL-B	21
25952	LUNGA 5 3G1.OX1.4M	45	26420	RANGO R7S SMD-NW	38	26615	ARTO 2L-W	6	26747	NESTA DSL-C	21
25953	LUNGA 6 3G1.OX1.4M	45	26440	VARSO LED 18W-WWW-O	10	26616	ARTO 3L-SR	7	26748	NESTA DSL-C/M	22
25954	LUNGA S3 3G1.OX1.4M	46	26441	VARSO LED 18W-NW-O	10	26617	ARTO 3L-W	7	26749	NESTA DTL-W	22
25955	LUNGA S4 3G1.OX1.4M	46	26442	VARSO LED 18W-WWW-L	10	26630	G9 GLASS LED2W-WWW	36	26750	NESTA DTL-B	22
25956	LUNGA S5 3G1.OX1.4M	47	26443	VARSO LED 18W-NW-L	9	26631	G9 GLASS LED2W-CW	36	26751	NESTA DTL-C	22
25957	LUNGA S6 3G1.OX1.4M	47	26444	VARSO LED 24W-WWW-O	11	26660	SANVI LED 16W-NW	8	26752	NESTA DTL-C/M	22
26030	FULLED GU10-3,3WS3-WWW	35	26445	VARSO LED 24W-NW-O	10	26661	SANVI LED 16W-WWW	8	26753	ALREN DTL-W	16
26031	FULLED GU10-3,3WS3-NW	35	26446	VARSO LED 24W-WWW-L	10	26662	SANVI LED 21W-NW	8	26754	ALREN DTL-B	16
26032	FULLED GU10-3,3WS3-CW	35	26447	VARSO LED 24W-NW-L	10	26663	SANVI LED 21W-WWW	8	26755	ALREN DTL-C	16
26033	FULLED GU10-3,3W-WWW	35	26450	NALEN O-B	20	26664	SANVI LED 16W-FRM	8	26756	ALREN DTL-C/M	17
26034	FULLED GU10-3,3W-NW	35	26451	NALEN O-AL	20	26666	SANVI RING 16-SR	9	26760	DUN HI 8W E14-WWW	34
26035	FULLED GU10-3,3W-CW	36	26452	NALEN O-SC	21	26667	SANVI RING 16-W	9	26761	DUN HI 8W E14-NW	35
26040	ST64 FILLED 4W-WWW	33	26453	NALEN L-B	21	26668	SANVI RING 16-BZ	8	26762	BIL0 HI 8W E14-WWW	34
26041	ST64 FILLED 6W-WWW	33	26454	NALEN L-AL	21	26669	SANVI RING 21-SR	9	26763	BIL0 HI 8W E14-NW	34
26042	G125 FILLED 6W-WWW	34	26460	TAXI SMD L C/M-WWW	11	26670	SANVI RING 21-W	9	26764	BIL0 HI 8W E27-WWW	34
26044	DIXI FILLED 8W E27-WWW	33	26461	TAXI SMD L C/M-NW	11	26671	SANVI RING 21-BZ	9	26765	BIL0 HI 8W E27-NW	34
26050	NIFO LED 14W E27-WWW-W	37	26462	TAXI SMD P C/M-WWW	11	26680	ASTEN LED IP44 8W-NW	26	26770	AVAR 6060 40W-NW	7
26052	NIFO LED 20W E27-WWW-W	37	26463	TAXI SMD P C/M-NW	11	26681	ASTEN LED IP44 12W-NW	27	26790	ALOR DSO-W	24
26054	NIFO LED 22W E27-WWW-W	37	26480	MERIL DLP-50-W	14	26682	ASTEN LED IP44 15W-NW	27	26791	ALOR DSO-B	24
26070	IMO E DSO50	15	26481	MERIL DLP-250-W	15	26690	DOSAN LED W	29	26792	ALOR DSO-C	24
26071	IMO E DSL50	15	26490	AWAN LED S-W	28	26691	DOSAN LED B	29	26793	ALOR DSO-C/M	25

INDEX BY KANLUX CODES

26794	ALOR DSO-BR/M	25	30241	ZENI 14-G	64	30373	SP LED 24W NW-S	58	30425	CORSO N LED 24-NW-SE	63
26795	ALOR DTO-W	25	30244	ZENI 15-W	64	30374	SP LED 24W WW-R	58	30430	H-2.5MM2 PE MI	67
26796	ALOR DTO-B	25	30245	ZENI 15-G	64	30375	SP LED 24W NW-R	58	30431	H-4MM2 PE MI	67
26797	ALOR DTO-C	25	30324	GRUN N LED-10-B-SE	60	30380	SP FRAME 6W-S	59	30432	H-6MM2 PE MI	67
26798	ALOR DTO-C/M	25	30325	GRUN N LED-20-B-SE	60	30381	SP FRAME 6W-R	59	30433	H-10MM2 PE MI	67
26799	ALOR DTO-BR/M	26	30326	GRUN N LED-30-B-SE	61	30382	SP FRAME 12W-S	59	30434	H-16MM2 PE MI	67
26800	KINET B AC	51	30327	GRUN N LED-50-B-SE	61	30383	SP FRAME 12W-R	59	30440	MIO LED15W A60E27-WW	66
26801	KINET W AC	51	30350	GRUN N LED-10-B	60	30384	SP FRAME 18W-S	59	30441	MIO LED15W A60E27-NW	65
26802	JUNIK B AC	51	30351	GRUN N LED-20-B	60	30385	SP FRAME 18W-R	59	30442	MIO LED8W C37 E14-WW	66
26803	JUNIK W AC	51	30352	GRUN N LED-30-B	60	30400	MIO LED3W R39 E14-WW	65	30443	MIO LED8W G45 E14-WW	66
26804	ALON B AC	51	30353	GRUN N LED-50-B	60	30401	MIO LED3W R39 E14-NW	64	30444	MIO LED8W G45 E27-WW	66
26805	ALON W AC	51	30360	SP LED 6W WW-S	56	30402	MIO LED5W R50 E14-WW	65	30445	MIO LED8W GU10-WW	66
26806	KANPI B AC	52	30361	SP LED 6W NW-S	56	30403	MIO LED5W R50 E14-NW	65	30446	MIO LED8W GU10-CW	66
26807	KANPI W AC	52	30362	SP LED 6W WW-R	56	30404	MIO LED7W R63 E27-WW	65	30450	SPN2 BAREV 6060	56
26808	KANPI B DC	52	30363	SP LED 6W NW-R	56	30405	MIO LED7W R63 E27-NW	65	30451	CLIPS BAREV 6060	56
26809	KANPI W DC	52	30364	SP LED 12W WW-S	57	30410	DUNO LED 15W-WW-0	61	30452	GRIPS BAREV 6060	56
26810	POWELED P 12V 30W	52	30365	SP LED 12W NW-S	57	30411	DUNO LED 15W-NW-0	61	30453	ADTR BAREV 6060 W	56
26811	POWELED P 12V 60W	52	30366	SP LED 12W WW-R	57	30412	DUNO LED 24W-WW-0	62	30460	ANDO 4LED 1X60	63
26820	SENTO PIR 65	53	30367	SP LED 12W NW-R	57	30413	DUNO LED 24W-NW-0	62	30461	ANDO 4LED 1X120	63
26821	SENZO PIR 65	53	30368	SP LED 18W WW-S	58	30420	CORSO N LED 12-NW	62	30462	ANDO 4LED 1X150	63
30182	DICHT N 218/4LED/PS	61	30369	SP LED 18W NW-S	57	30421	CORSO N LED 18-NW	62	30463	ANDO LINK	63
30183	DICHT N 236/4LED/PS	61	30370	SP LED 18W WW-R	58	30422	CORSO N LED 24-NW	62	30464	ANDO PLUG	64
30223	BAREV N LED 45W-NW	56	30371	SP LED 18W NW-R	57	30423	CORSO N LED 12-NW-SE	62			
30240	ZENI 14-W	64	30372	SP LED 24W WW-S	58	30424	CORSO N LED 18-NW-SE	63			

LEGAL NOTICE

This publication has been prepared by Kanlux SA. Through the continuous improvement of its offer and adaptation of it to market and legal requirements, Kanlux SA reserves the right to make changes in its products. This publication is not an offer within the meaning of the Civil Code. Actual products may differ from illustrative photos and drawings included in the publication. All of the data contained in the publication is in force on the date of printing i.e. 8th of August 2017. Kanlux SA shall not be liable for the non-availability of products listed in this publication. Kanlux SA also shall not be liable for any direct, indirect, accidental or any other damages (including, but not limited to, lost profits, lost revenues or similar economic losses) arising out of the use of information contained in this publication. Kanlux SA reserves the right for errors and changes in print.

Kanlux SA

ul. Objazdowa 1-3, 41-922 Radzionków
Tel.: +48 /32/ 388 74 00
Fax: +48 /32/ 388 74 99
E-mail: kanlux@kanlux.pl
www.kanlux.pl

Kanlux s.r.o.

Sadová 618, 738 01 Frýdek-Místek
Česká Republika
tel. +420 558 402 511, 603 504 218,
fax +420 558 694 250
e-mail: kanlux.cz@kanlux.cz
www.kanlux.cz

Kanlux s.r.o.

M.R. Stefánika 379/19, 911 01 Trenčín
Slovenská Republika
tel. +421 327 446 385-6
fax +421 327 446 387
e-mail: kanlux.sk@kanlux.sk
www.kanlux.sk

Kanlux Kft.

9026 Győr, Bácsai út 153/b
Hungary
tel. +36 96 525-467
fax +36 96 319-420
e-mail: info@kanlux.hu
www.kanlux.hu

ТОВ Канлюкс

08130, Київська область, Києво-Святошинський район,
с.Петропавлівська Борщагівка, вул. Соборна, будинок 1-Б,
офіс 617
Україна
тел. +38 (044) 585 33 19, факс +38 (44) 585 33 18
e-mail: kanlux_ua@kanlux.com
www.kanlux.com

ООО Канлюкс-Электромонтаж

142100, Московская область, г. Подольск,
ул. Комсомольская, д.1,
Российская Федерация
тел. +7 495 984 82 60
e-mail: russia@kanlux.com
www.kanlux.com

Kanlux EOOD

Warehouse area Gopet Logistics, 1532 Kazichene, Sofia
Bulgaria
ph. +359 2 421 96 24, fax +359 2 421 96 23
e-mail: kanlux.bg@kanlux.com
www.kanlux.bg

Kanlux GmbH

Flugplatz 21, 44319 Dortmund
Deutschland
Tel. +49 231 56557255, Fax +49 231 56557256
e-mail: kanlux.gmbh@kanlux.com
www.kanlux.com

Kanlux Lighting SRL

Intrarea Binelui 1A, Sector 4, 042159 Bucuresti
Romania
ph. +40 371 474 133
e-mail: comenzi@kanlux.com
www.kanlux.com

GET IT ON
Google Play



Download on the
App Store

