

2017

EN


***Kanlux***



W W W . K A N L U X . C O M

---

LIGHT  
SOURCES



LIGHT  
SOURCES



2017





PROFESSIONAL



DECORI



PREMIUM



BASIC



***Kanlux***


INNOVATION



HIGH QUALITY



KANLUX LAB



POLISH BRAND



28 YEARS ON MARKET



BEST SERVICE: 24 H ORDER





TYPE A

4W  
420lm

9  
PAGE

DIXI FILLED 4W E27

6W  
750lm

9  
PAGE

DIXI FILLED 6W E27

8W  
1000lm

9  
PAGE

DIXI FILLED 8W E27

6,5W  
550lm

10  
PAGE

RAPID LED E27

9,5W  
850lm

11  
PAGE

RAPID PRO LED E27

10W  
800lm

11  
PAGE

RAPID PRO LED B22

12W  
1050lm

12  
PAGE

RAPID MAXX LED E27

12W  
1050lm

12  
PAGE

RAPID MAXX LED B22

15W  
1520lm

13  
PAGE

RAPID HI LED E27

8W  
800lm

14  
PAGE

APPLE LED E27

4W  
320lm

16  
PAGE

ST64 FILLED 4W

6W  
650lm

16  
PAGE

ST64 FILLED 6W

12W  
1100lm

TRIColor

17  
PAGE

TRIColor E27

9W  
800lm

18  
PAGE

WIDE LED E27

GLOBE

6W  
650lm

21  
PAGE

G125 FILLED 6W

16W  
1520lm

22  
PAGE

LUNI PRO E27 LED

16W  
1800lm

23  
PAGE

LUNI MAX E27 LED

CANDLE

2W  
230lm

25  
PAGE

ZIP1 FILLED 2W E14

4W  
400lm

25  
PAGE

ZIP1 FILLED 4W E14

4,5W  
400lm

26  
PAGE

IDO 4,5W T SMD E14

4,5W  
400lm

26  
PAGE

DUN 4,5W T SMD E14

6,5W  
600lm

27  
PAGE

IDO 6,5W T SMD E14

6,5W  
600lm

27  
PAGE

DUN 6,5W T SMD E14

MINI GLOBE

4W  
400lm

29  
PAGE

NUPI FILLED 4W E14

4W  
400lm

29  
PAGE

NUPI FILLED 4W E27

3W  
280lm

30  
PAGE

BILO 3W T SMD E27

3W  
280lm

30  
PAGE

BILO 3W T SMD E14

5W  
420lm

30  
PAGE

BILO 5W T SMD E27

5W  
420lm

30  
PAGE

BILO 5W T SMD E14

6,5W  
600lm

31  
PAGE

BILO 6,5W T SMD E27




































6,5W  
600lm

31  
PAGE

BILO 6,5W T SMD E14





				
 2,2W 200lm <b>33</b> PAGE	 1,2W 90lm <b>34</b> PAGE	 3W 270lm <b>34</b> PAGE	 5W 380lm <b>35</b> PAGE	
 7W 520lm <b>35</b> PAGE	 7W 570lm <b>37</b> PAGE	 7W 600lm SPOT 36° <b>38</b> PAGE	 7W 600lm SPOT 60° <b>38</b> PAGE	 7,5W 560lm DIMMING function <b>39</b> PAGE
 7,5W 600lm DIMMING function <b>39</b> PAGE	 5W 430lm <b>40</b> PAGE	 9W 900lm <b>41</b> PAGE	 5W 400lm TRIColor <b>42</b> PAGE	 3,3W 300lm SPOT 36° <b>43</b> PAGE
 3,3W 295lm <b>43</b> PAGE	 4,5W 390lm <b>44</b> PAGE	 5W 390lm <b>45</b> PAGE	 7W 500lm <b>45</b> PAGE	
 4W 320lm <b>47</b> PAGE	 6W 480lm <b>47</b> PAGE	 8W 640lm <b>47</b> PAGE		 2,5W 200lm <b>49</b> PAGE
 3,5W 300lm <b>50</b> PAGE	 3,5W 400lm <b>50</b> PAGE	 1W 72lm <b>51</b> PAGE	 1,5W 130lm <b>51</b> PAGE	 1,3W 100lm <b>52</b> PAGE
 2,5W 250lm <b>53</b> PAGE		 12W 730lm <b>55</b> PAGE	 11W 900lm <b>56</b> PAGE	 12W 730lm <b>58</b> PAGE



11W  
900lm

**59**  
PAGE

ES-111 LED SL

TUBE

9W  
1080lm

**61**  
PAGE

T8 LED GLASSV2 9W

18W  
2160lm

**61**  
PAGE

T8 LED GLASSV2 18W

24W  
2880lm

**61**  
PAGE

T8 LED GLASSV2 24W

OTHER

2,6W  
250lm

**63**  
PAGE

SAYA LED16 SMD E14

7W  
530lm

**64**  
PAGE

ESG LED 7W GX53

12W  
1700lm

**65**  
PAGE

MOD 12W LED

20W  
1700lm

**65**  
PAGE

MOD 20W LED

14W  
1150lm

**66**  
PAGE

MFO LED 14W E27-W

20W  
1650lm

**66**  
PAGE

MFO LED 20W E27-W

22W  
1850lm

**66**  
PAGE

MFO LED 22W E27-W

6W  
550lm

**68**  
PAGE

RANGO R7S SMD

LED STRIPES

4.8W/m  
500lm/m

**71**  
PAGE

LEDS-B 4.8W/M IP00

4.8W/m  
320lm/m

**72**  
PAGE

LEDS-B 4.8W/M IP54

4.8W/m  
450lm/m

**73**  
PAGE

LEDS-B 4.8W/M IP65

4.5W/m  
70lm/m

**74**  
PAGE

LEDS-B 4.5W/M IP54-BL

7.2W/m  
130lm/m

**75**  
PAGE

LEDS-B 7.2W/M IP00RGB

7.2W/m  
130lm/m

**75**  
PAGE

LEDS-B 7.2W/M IP54RGB

7.2W/m  
130lm/m

**75**  
PAGE

LEDS-B 7.2W/M IP65RGB

4W/m  
300lm/m

**76**  
PAGE

LEDS-P 4W/M IP00

10W/m  
900lm/m

**76**  
PAGE

LEDS-P 10W/M IP00

4W/m  
300lm/m

**77**  
PAGE

LEDS-P 4W/M IP54

10W/m  
800lm/m

**77**  
PAGE

LEDS-P 10W/M IP54

CONTROLLERS LED RGB

**78**  
PAGE

CONNECTORS

**79**  
PAGE

CONNECTORS RGB

**79**  
PAGE

6,5W  
2x240lm

**80**  
PAGE

LEDS SET B-SE DBL

3,3W  
240lm

**81**  
PAGE

LEDS SET B-SE SGL

7,5W  
450lm

**82**  
PAGE

LEDS SET S-DIM IR

7,5W  
450lm

**83**  
PAGE

LEDS SET S-DIM TS

2,4W  
180lm

**84**  
PAGE

LEDS SET W-SE ACCU








2,4W  
180lm

**85**  
PAGE

LEDS SET W-SE BITRY






LED PROFILES





GIVRO SYSTEM



HALOGENS



FLUORESCENT LAMP








TYPE A





# DIXI FILLED



⚡ 220-240V; 50/60Hz

⚙ E27

🕒 15000h

⏻ 15000


☀ Ra>80

⊕ ≤ 6x MacAdam Elipse



Ⓔ A++

320° ▲	📁 22464	DIXI FILLED 4W E27-WW	🕒 4W	🔌➡️ 37W	☀ 420lm	📏 2700K	EAN -5905339224644
300° ▲	📁 22468	DIXI FILLED 6W E27-WW	🕒 6W	🔌➡️ 57W	☀ 750lm	📏 2700K	EAN -5905339224682
	📁 26044	DIXI FILLED 8W E27-WW	🕒 8W	🔌➡️ 72W	☀ 1000lm	📏 2700K	EAN -5905339260444





 **RAPID**





⚡ 220-240V; 50/60Hz    ⚙ E27    ⌚ 20000h    ⏻ 15000    ⚡ Ra≥80    Ⓢ ≤6x MacAdam Elipse    Ⓛ Ei > A+

- 📁 22940 RAPID LED E27-WW    ⚡ 6,5W    ⚡➡💡 42W    ⚡ 500lm    🟡 3000K    EAN -5905339229403
- 📁 22941 RAPID LED E27-NW    ⚡ 6,5W    ⚡➡💡 45W    ⚡ 550lm    ⚫ 4000K    EAN -5905339229410



# RAPID<sup>PRO</sup>



⚡ 220-240V; 50/60Hz

🕒 20000h

🔌 (ON/OFF) 15000

☀️ Ra≥80



⊕ ≤ 6x MacAdam Elipse

📏 E1 > A+

📁 22950	RAPID PRO LED E27-WW	≡ E27	🕒 9,5W	🔌 →💡 60W	☀️ 800lm	🟡 3000K	EAN -5905339229502
📁 22951	RAPID PRO LED E27-NW	≡ E27	🕒 9,5W	🔌 →💡 63W	☀️ 850lm	🟡 4000K	EAN -5905339229519
📁 22952	RAPID PRO LED B22-WW	≡ B22	🕒 10W	🔌 →💡 60W	☀️ 800lm	🟡 3000K	EAN -5905339229526
📁 22953	RAPID PRO LED B22-CW	≡ B22	🕒 10W	🔌 →💡 60W	☀️ 800lm	🟡 6500K	EAN -5905339229533



# RAPID<sub>MAXX</sub>



⚡ 220-240V; 50/60Hz

🕒 15000h

☀️ 10000

🌟 Ra≥80



👁️ ≤6x MacAdam Ellipse

Ⓜ️ A+

📁 23282	RAPID MAXX LED E27-WW	≡ E27	🕒 12W	🔌 75W	☀️ 1050lm	🟡 3000K	EAN -5905339232809
📁 23283	RAPID MAXX LED E27-NW	≡ E27	🕒 12W	🔌 75W	☀️ 1050lm	⚪ 4000K	EAN -5905339232816
📁 23284	RAPID MAXX LED B22-WW	☑ B22	🕒 12W	🔌 75W	☀️ 1050lm	🟡 3000K	EAN -5905339232847
📁 23285	RAPID MAXX LED B22-CW	☑ B22	🕒 12W	🔌 75W	☀️ 1050lm	🟡 6500K	EAN -5905339232854



 **RAPID<sub>HI</sub>**




⚡ 220-240V; 50/60Hz    ⚙ E27    ⌚ 15000h    ⏸ 15000    ⚡ Ra≥80    ⚙ ≤ 6x MacAdam Ellipse    Ⓛ Et > A+



📁 25400	RAPID HI LED E27-WW	⌚ 15W	⚡ 100W	☀ 1520lm	🟡 3000K	EAN -5905339254009
📁 25401	RAPID HI LED E27-NW	⌚ 15W	⚡ 100W	☀ 1520lm	🟠 4000K	EAN -5905339254016



LED COB



# APPLE



CCT

⚡ 220-240V; 50/60Hz

🔌 E27

🕒 17500h

🔦 10000

☀️ Ra≥80

⊕ ≤ 6x MacAdam Ellipse

📏 E+ A+

📁 24256 APPLE LED E27-WW

🔄 8W


💡 60W

☀️ 800lm

🟡 2700K

EAN -5905339242563





PATENT  
AIR  
CONVECTION  
SYSTEM



UPPER  
VENT  
HOLE





COB  
CHIP



BOTTOM  
VENT  
HOLE






LED FILAMENT



# ST64 FILLED



⚡ 220-240V; 50/60Hz

🔌 E27

🕒 15000h

☀️ 15000

🌞 Ra≥80

🌀 ≤ 6x MacAdam Ellipse

📁 26040 ST64 FILLED 4W-WW

🌀 4W

🔌➡️💡 30W

☀️ 320lm

2500K

EAN -5905339260406

📦 A+

📁 26041 ST64 FILLED 6W-WW

🌀 6W

🔌➡️💡 51W

☀️ 650lm



2500K

EAN -5905339260413

📦 A++



# TRIColor





⚡ 220-240V; 50/60Hz    ⚙ E27    ⌚ 20000h    ⏸ 15000    ⚡ Ra≥80    ⌚ ≤6x MacAdam Ellipse    Ⓛ A+

📁 22911	TRIColor E27	🔄 12W	💡 72W	☀️ 1000lm	🟡 2700K	
			💡 77W	☀️ 1100lm	🟠 4000K	EAN -5905339229113
			💡 72W	☀️ 1000lm	🟢 6300K	





# WIDE



⚡ 220-240V; 50/60Hz

🌀 E27

🕒 17500h

🔌 15000

👁️ Ra≥80

⊕ ≤6x MacAdam Ellipse

📦 Ei > A+

📁 22863 WIDE LED E27-WW

🕒 9W

🔌 60W

☀️ 800lm

🟡 3000K

EAN -5905339228635

📁 22862 WIDE LED E27-NW

🕒 9W

🔌 60W

☀️ 800lm


🟠 4000K

EAN -5905339228628













# G125 FILLED




- 220-240V; 50/60Hz
- E27
- 15000h
- OFF 15000
- Ra≥80
- ≤ 6x MacAdam Ellipse
- A++

26042 G125 FILLED 6W E27-WW 
 6W 
 51W 
 650lm 
 2500K 
 EAN -5905339260420



# LUNI<sub>PRO</sub>



⚡ 220-240V; 50/60Hz

🔌 E27

🕒 15000h

🔌 10000

💡 Ra≥80

⊕ ≤6x MacAdam Ellipse

📦 A+




**HIGH**  
1800lm

ALU  
inside


IC | CC  
driver

220°

LED SMD



**LUNI**MAX



⚡ 220-240V; 50/60Hz    ⌘ E27    ⌚ 15000h    ⌚ (ON) 10000    ⚡ Ra≥80    ⌚ ≤ 6x MacAdam Elipse    ⌚ A+

📁 22572 LUNI MAX E27 LED-WW    ⌚ 16W    ⌚ 115W    ⚡ 1800lm    📏 3000K    EAN -5905339225726





CANDLE






 **ZIPI** FILLED






⚡ 220-240V; 50/60Hz    ⌚ 15000h    ⌚ 15000h    ⚡ Ra≥80    ⊕ ≤ 6x MacAdam Ellipse    Ⓛ Ei A++

- |         |                       |      |         |          |         |                    |
|---------|-----------------------|------|---------|----------|---------|--------------------|
| 📁 22466 | ZIPI FILLED 2W E14-WW | 🕒 2W | 🔌➡💡 23W | ☀️ 230lm | 🟡 2700K | EAN -5905339224668 |
| 📁 22469 | ZIPI FILLED 4W E14-WW | 🕒 4W | 🔌➡💡 35W | ☀️ 400lm | 🟡 2700K | EAN -5905339224699 |





LED SMD



# IDO/DUN 4,5W

⚡ 220-240V; 50/60Hz

🌀 E14

🕒 20000h

🔌 (OFF) 15000

🌞 Ra≥80



⊕ ≤6x MacAdam Ellipse

📏 E1 A+

📁 23382	IDO 4,5W T SMD E14-WW	🕒 4,5W	🔌 35W	🌞 400lm	📏 3000K	EAN -5905339233820
📁 23383	IDO 4,5W T SMD E14-NW	🕒 4,5W	🔌 35W	🌞 400lm	📏 4000K	EAN -5905339233837
📁 23380	DUN 4,5W T SMD E14-WW	🕒 4,5W	🔌 35W	🌞 400lm	📏 3000K	EAN -5905339233806
📁 23381	DUN 4,5W T SMD E14-NW	🕒 4,5W	🔌 35W	🌞 400lm	📏 4000K	EAN -5905339233813



**IDO/DUN<sub>6,5W</sub>**



⚡ 220-240V; 50/60Hz    ⚙ E14    ⌚ 20000h    ⚡ OFF 15000    ⚡ Ra≥80    Ⓢ ≤6x MacAdam Ellipse    Ⓢ Ei A+

23490	IDO 6,5W T SMD E14-WW	6,5W	48W	600lm	3000K	EAN -5905339234902
23491	IDO 6,5W T SMD E14-NW	6,5W	48W	600lm	4000K	EAN -5905339234919
23430	DUN 6,5W T SMD E14-WW	6,5W	48W	600lm	3000K	EAN -5905339234308
23431	DUN 6,5W T SMD E14-NW	6,5W	48W	600lm	4000K	EAN -5905339234315





MINI GLOBE








**NUPI** FILLED



⚡ 220-240V; 50/60Hz    ⚙️ 4W    ⌚ 15000h    ⏻ (ON/OFF) 15000    ⚡ Ra≥80    ⌚ ≤ 6x MacAdam Elipse    Ⓛ E+ A++

- 📁 25411 NUPI FILLED 4W E14-WW    ⚡ E 14    ⚡➡️💡 35W    ☀️ 400lm    🟡 2700K    EAN -5905339254115
- 📁 25410 NUPI FILLED 4W E27-WW    ⚡ E 27    ⚡➡️💡 35W    ☀️ 400lm    🟡 2700K    EAN -5905339254108



LED SMD




200°

CLASSIC shape



# BILO 3W/5W



⚡ 220-240V; 50/60Hz

🕒 25000h

🔌 15000



☀️ Ra≥80

⊕ ≤ 6x MacAdam Ellipse

📁 23041	BILO 3W T SMD E27-WW	≡ E27	🕒 3W	🔌 27W	☀️ 280lm	3000K	EAN -5905339230416	📦 Ei > A++
📁 23040	BILO 3W T SMD E14-WW	≡ E14	🕒 3W	🔌 27W	☀️ 280lm	3000K	EAN -5905339230409	📦 Ei > A++
📁 23043	BILO 5W T SMD E27-WW	≡ E27	🕒 5W	🔌 37W	☀️ 420lm	3000K	EAN -5905339230430	📦 Ei > A+
📁 23042	BILO 5W T SMD E14-WW	≡ E14	🕒 5W	🔌 37W	☀️ 420lm	3000K	EAN -5905339230423	📦 Ei > A+



# BILO<sub>6,5W</sub>



⚡ 220-240V; 50/60Hz    ⌚ 20000h    Ⓢ 15000    ⚡ Ra>80    ⊕ ≤6x MacAdam Ellipse    Ⓛ E+ A+




23420	BILO 6,5W T SMDE27-WW	E27	6,5W	48W	600lm	3000K	EAN -5905339234209
23421	BILO 6,5W T SMDE27-NW	E27	6,5W	48W	600lm	4000K	EAN -5905339234216
23422	BILO 6,5W T SMDE14-WW	E14	6,5W	48W	600lm	3000K	EAN -5905339234223
23423	BILO 6,5W T SMDE14-NW	E14	6,5W	48W	600lm	4000K	EAN -5905339234230



SPOT 230V/12V









LED SMD



# REMI



⚡ 220-240V; 50/60Hz

💡 GU10

🕒 20000h

☀️ 20000

🌞 Ra≥80

🌀 ≤6x MacAdam Ellipse

📦 Ei > A++

📁 14946	REMI GU10 SMD-WW	🌀 2,2W	💡 19W	☀️ 180lm	📐 150lm
📁 14947	REMI GU10 SMD-CW	🌀 2,2W	💡 21W	☀️ 200lm	📐 165lm

🟡 3000K	EAN -5907540962650
🟢 6500K	EAN -5907540963466








MILKY cover



LED SMD



# TOMI



CCT

⚡ 220-240V; 50/60Hz    🏠 GU10    ⌚ 25000h    ⏻ 25000    🌞 Ra>80    Ⓢ ≤ 6x MacAdam Ellipse    📦 A++



📁 22708	TOMI LED1,2W GU10-WW	⌚ 1,2W	🔌 10W	☀️ 90lm	◀️ 80lm	3000K	EAN -5905339227089
📁 22822	TOMI LED1,2W GU10-NW	⌚ 1,2W	🔌 11W	☀️ 90lm	◀️ 80lm	4000K	EAN -5905339228222
📁 22709	TOMI LED1,2W GU10-CW	⌚ 1,2W	🔌 10W	☀️ 90lm	◀️ 80lm	5300K	EAN -5905339227096

⚡ 220-240V; 50/60Hz    🏠 GU10    ⌚ 20000h    ⏻ 15000    🌞 Ra>80    Ⓢ ≤ 6x MacAdam Ellipse    📦 A++

📁 22702	TOMI LED3W GU10-WW	⌚ 3W	🔌 25W	☀️ 250lm	◀️ 200lm	3000K	EAN -5905339227027
📁 22823	TOMI LED3W GU10-NW	⌚ 3W	🔌 26W	☀️ 260lm	◀️ 210lm	4000K	EAN -5905339228239
📁 22703	TOMI LED3W GU10-CW	⌚ 3W	🔌 26W	☀️ 270lm	◀️ 220lm	5300K	EAN -5905339227034



# TOMI



⚡ 220-240V; 50/60Hz    ⏏ GU10    ⌚ 20000h    Ⓢ 15000    ⚡ Ra≥80    ⊕ ≤ 6x MacAdam Ellipse    Ⓛ Ei A+

22700	TOMI LED5W GU10-WW	5 W	33 W	360lm	290lm	3000K	EAN -5905339227003
22824	TOMI LED5W GU10-NW	5 W	33 W	370lm	300lm	4000K	EAN -5905339228246
22701	TOMI LED5W GU10-CW	5 W	34 W	380lm	300lm	5300K	EAN -5905339227010
22821	TOMI LED7W GU10-WW	7 W	42 W	500lm	400lm	3000K	EAN -5905339228215
22825	TOMI LED7W GU10-NW	7 W	42 W	510lm	410lm	4000K	EAN -5905339228253
22820	TOMI LED7W GU10-CW	7 W	43 W	520lm	410lm	5300K	EAN -5905339228208



**PRO**  
GU10 LED



**3**  
YEARS  
of statutory warranty



**PRO**  
series



uniform  
**LIGHT**  
distribution



alike  
**COB**  
effect



IC|CC  
driver




**ALU**  
inside

**SILVER**  
or  
**WHITE**  
body



**DESIGN**  
unique



**120°**  
**60°**  
**36°**  
beam  
**ANGLE**



**WW** **NW** **CW**  
**COLOUR**  
tempe  
rature



**DIMMING**  
function  
in  
**PRODIM**



3 YEARS of statutory warranty

ALU inside

IC/CC driver

LED SMD



ALIKE COB

120°

WHITE BODY

SILVER BODY


**PRO** series  
GU10 LED



⚡ 220-240V; 50/60Hz    ⏻ GU10    ⌚ 25000h    ⌚ (ON/OFF) 15000    ⚡ Ra>80    ⌚ ≤ 6x MacAdam Ellipse    Ⓛ EI> A+

24500	PRO GU10 LED 7W-WW-W	7 W	44 W	530lm	465lm	2700K	EAN -5905339245007
24501	PRO GU10 LED 7W-NW-W	7 W	45 W	550lm	470lm	4000K	EAN -5905339245014
24502	PRO GU10 LED 7W-CW-W	7 W	46 W	570lm	490lm	6500K	EAN -5905339245021
24503	PRO GU10 LED 7W-WW	7 W	44 W	530lm	465lm	2700K	EAN -5905339245038
24504	PRO GU10 LED 7W-NW	7 W	45 W	550lm	470lm	4000K	EAN -5905339245045
24505	PRO GU10 LED 7W-CW	7 W	46 W	570lm	490lm	6500K	EAN -5905339245052






LED SMD





SILVER BODY

DESIGN unique



ALIKE COB



CCT



# PRO series GU10 LED

⚡ 220-240V; 50/60Hz    ⏰ 25000h    ⚡ 15000    ⚡ Ra>80    ⚡ ≤6x MacAdam Ellipse    ⚡ Ei > A+

36°	24670	PRO GU10 LED 7WS3-WW	7W	45W	560lm	500lm	2700K	EAN -5905339246707
	24671	PRO GU10 LED 7WS3-NW	7W	47W	580lm	520lm	4000K	EAN -5905339246714
	24672	PRO GU10 LED 7WS3-CW	7W	48W	600lm	550lm	6500K	EAN -5905339246721
60°	24673	PRO GU10 LED 7WS6-WW	7W	45W	560lm	470lm	2700K	EAN -5905339246738
	24674	PRO GU10 LED 7WS6-NW	7W	47W	580lm	490lm	4000K	EAN -5905339246745
	24675	PRO GU10 LED 7WS6-CW	7W	48W	600lm	500lm	6500K	EAN -5905339246752



**PRO** series  
DIM



⚡ 220-240V; 50/60Hz    ⏻ GU10    ⌚ 25000h    ⏸ 15000    ⚡ Ra≥80    ⌚ ≤ 6x MacAdam Ellipse    Ⓛ Ei > A+



120°	24660	PRODIM GU10-7,5W-WW	7,5 W	44 W	530lm	455lm	2700K	EAN -5905339246608
	24661	PRODIM GU10-7,5W-NW	7,5 W	45 W	550lm	470lm	4000K	EAN -5905339246615
	24662	PRODIM GU10-7,5W-CW	7,5 W	45 W	560lm	480lm	6500K	EAN -5905339246622
60°	24663	PRODIM GU10-7,5WS6-WW	7,5 W	45 W	560lm	450lm	2700K	EAN -5905339246639
	24664	PRODIM GU10-7,5WS6-NW	7,5 W	47 W	580lm	480lm	4000K	EAN -5905339246646
	24665	PRODIM GU10-7,5WS6-CW	7,5 W	48 W	600lm	490lm	6500K	EAN -5905339226129



LED SMD



# LED15 C





⚡ 220-240V; 50/60Hz    ⏻ GU10    ⌚ 20000h    ⏻ (ON/OFF) 15000    ⚡ Ra≥80    ⌚ ≤ 6x MacAdam Ellipse    ⏻ E+ A+

📁 23930	LED15 C GU10-WW-C	🌀 5W	🔌 37W	☀️ 430lm	📐 360lm	🟡 3000K	EAN -5905339239303
📁 23931	LED15 C GU10-CW-C	🌀 5W	🔌 37W	☀️ 430lm	📐 360lm	🟢 6500K	EAN -5905339239310




**TEDI**MAX





⚡ 220-240V; 50/60Hz    ⏻ GU10    ⌚ 20000h    ⚡ OFF 15000    ⚡ Ra≥80    ⌚ ≤ 6x MacAdam Ellipse    Ⓜ Ei > A+

- 📁 23410 TEDI MAX LED GU10-WW    ⚡ 9W    ⚡ 66W    ⚡ 900lm    ⚡ 710lm    ⚡ 3000K    EAN -5905339234100
- 📁 23411 TEDI MAX LED GU10-CW    ⚡ 9W    ⚡ 66W    ⚡ 900lm    ⚡ 710lm    ⚡ 6000K    EAN -5905339234117





# TRIColor



⚡ 220-240V; 50/60Hz

🔌 GU10

🕒 20000h

🔌 ON/OFF 15000

💡 Ra≥80

⊕ ≤6x MacAdam Ellipse

📏 Ei A+



📁 22910 TRIColor LED GU10

🌀 5 W	🔌 32 W	☀️ 350lm	📏 300lm	🎨 2700K
🌀 5 W	🔌 35 W	☀️ 400lm	📏 340lm	🎨 4000K
🌀 5 W	🔌 33 W	☀️ 370lm	📏 315lm	🎨 6500K

EAN -5905339229106





# FULLED



⚡ 220-240V; 50/60Hz    ⏻ GU10    ⌚ 15000h    ⚡ 15000    ⚡ Ra≥80    Ⓢ ≤ 6x MacAdam Ellipse    Ⓢ A++


Beam Angle	Model	Power	Wattage	Light Output	Beam Diameter	Beam Spread	Color Temp	EAN
36°	26030	FULLED GU10-3,3WS3-WW	3,3 W	27 W	280lm	245lm	2700K	EAN -5905339260307
	26031	FULLED GU10-3,3WS3-NW	3,3 W	28 W	290lm	250lm	4000K	EAN -5905339260314
	26032	FULLED GU10-3,3WS3-CW	3,3 W	28 W	300lm	260lm	6500K	EAN -5905339260321
120°	26033	FULLED GU10-3,3W-WW	3,3 W	27 W	275lm	235lm	2700K	EAN -5905339260338
	26034	FULLED GU10-3,3W-NW	3,3 W	27 W	285lm	240lm	4000K	EAN -5905339260345
	26035	FULLED GU10-3,3W-CW	3,3 W	28 W	295lm	250lm	6500K	EAN -5905339260352




LED SMD



# LED15 C



· LED 15 C MR16 ·



CCT

⚡ 12V AC; 50/60 Hz / 12V DC

🔌 Gx5,3

🕒 20000h

☀️ 15000

🌞 Ra≥80

🕒 ≤6x MacAdam Ellipse

📦 E1 > A+

📁 22203 LED15 C MR16-WW-B

🕒 4,5 W

🔌 34 W

☀️ 380lm

👁️ 315lm

🟡 3000K

EAN -590533922039

📁 22204 LED15 C MR16-CW-B

🕒 4,5 W

🔌 35 W

☀️ 390lm



👁️ 325lm

🟢 6500K

EAN -590533922046



# TOMI LED5W / LED7W



CCT

⚡ 12V AC; 50/60 Hz / 12V DC    ⚙ Gx5,3    ⌚ 25000h    ⚡ 15000    ⚡ Ra≥80    ⊕ ≤6x MacAdam Ellipse    Ⓛ E+ A+

22704	TOMI LED5W MR16-WW	5 W	33 W	370lm	300lm	3000K	EAN -5905339227041
22705	TOMI LED5W MR16-CW	5 W	35 W	390lm	310lm	5300K	EAN -5905339227058
22706	TOMI LED7W MR16-WW	7 W	41 W	480lm	385lm	3000K	EAN -5905339227065
22707	TOMI LED7W MR16-CW	7 W	42 W	500lm	400lm	5300K	EAN -5905339227072







TYPE R





# SIGO



⚡ 220-240V; 50/60Hz

🕒 15000h

🕒 (ON/OFF) 15000

💡 Ra≥80

🌀 ≤ 6x MacAdam Elipse

📦 Ei A+


📁 22733	SIGO R39 LED E14-WW	🔌 E14	🕒 4 W	🔌➡💡 30W	☀️ 320lm	🟡 3000K	EAN -5905339227331
📁 22734	SIGO R39 LED E14-NW	🔌 E14	🕒 4 W	🔌➡💡 30W	☀️ 320lm	🟡 4000K	EAN -5905339227348
📁 22735	SIGO R50 LED E14-WW	🔌 E14	🕒 6 W	🔌➡💡 41W	☀️ 480lm	🟡 3000K	EAN -5905339227355
📁 22736	SIGO R50 LED E14-NW	🔌 E14	🕒 6 W	🔌➡💡 41W	☀️ 480lm	🟡 4000K	EAN -5905339227362
📁 22737	SIGO R63 LED E27-WW	🔌 E27	🕒 8 W	🔌➡💡 50W	☀️ 640lm	🟡 3000K	EAN -5905339227379
📁 22738	SIGO R63 LED E27-NW	🔌 E27	🕒 8 W	🔌➡💡 50W	☀️ 640lm	🟡 4000K	EAN -5905339227386





CAPSULE 230V/12V










 **GIO**




⚡ 220-240V; 50/60Hz    ⚗ G9    ⌚ 25000h    ⏸ 15000    ⚡ Ra≥80    ⌚ ≤6x MacAdam Ellipse    Ⓛ Ei > A++

- |         |               |         |        |         |         |                    |
|---------|---------------|---------|--------|---------|---------|--------------------|
| 📁 22660 | GIO LED G9 WW | 🌀 2,5 W | 🔌 21 W | ☀ 200lm | 🟡 3000K | EAN -5905339226600 |
| 📁 22661 | GIO LED G9 NW | 🌀 2,5 W | 🔌 21 W | ☀ 200lm | 🟤 5000K | EAN -5905339226617 |





# ZUBI | ZUBI MAX



⚡ 220-240V; 50/60Hz

💡 G9

🕒 15000h

🌞 (ON) 10000


🌞 Ra≥80

🔄 ≤6x MacAdam Ellipse



- 24520 ZUBI LED 3,5W G9-WW
- 24521 ZUBI LED 3,5W G9-CW
- 24522 ZUBI MAX LED3,5WG9-WW

- 3,5 W
- 3,5 W
- 3,5 W
- 28W
- 28W
- 35W
- 300lm
- 300lm
- 400lm

- 3000K
- 6000K
- 3000K
- EAN -5905339245205
- EAN -5905339245212
- EAN -5905339245229
- Ei A+
- Ei A+
- Ei A++




# LED6 | LED12





⚡ 12V DC    ⚙ G4    ⌚ 20000h    Ⓢ 10000    ⚡ Ra≥80    Ⓢ ≤6x MacAdam Elipse

📁 08952	LED6 SMD G4-WW	🕒 1 W	💡 8W	☀️ 72lm	3000K	EAN -5905339089526	Ⓜ Ei A++
📁 08951	LED12 SMD G4-WW	🕒 1,5 W	💡 14W	☀️ 130lm	3000K	EAN -5905339089519	Ⓜ Ei A+




# GIO



12V AC; 50/60 Hz  
 G4  
 25000h  
 (OFF) 15000  
 Ra≥80  
 ≤6x MacAdam Ellipse  
 E+ A++

22662	GIO LED G4 FL-WW	1,3 W	11 W	100lm	3000K	EAN -5905339226624
22663	GIO LED G4 FL-NW	1,3 W	11 W	100lm	5000K	EAN -5905339226631



**ZUBI** LED G4



· ZUBI ·



⚡ 12V AC; 50/60 Hz   ⚡ 12V DC   ⚗ G4   ⌚ 15000h   ⏰ 20000   ⚡ Ra≥80   ⌚ ≤6x MacAdam Ellipse   Ⓛ Ei > A++


📁 24523 ZUBI LED 2,5W G4-WW   ⚡ 2,5 W   ⚡ 25W   ⚡ 250lm   🟡 3000K   EAN -5905339245236






AR-111 12V  
ES-111 230V







LED COB









# AR-111 LED REF



⚡ 12V AC; 50/60 Hz / 12V DC    ⚙ G53    ⌚ 17500h    ⚡ 15000    ⚡ Ra≥80    ⚡ ≤6x MacAdam Ellipse    Ⓛ Ei > A

22613	AR-111 REF LED G53-WW	12W	53W	680lm	460lm	2700K	EAN -5905339226136
22612	AR-111 REF LED G53-CW	12W	55W	730lm	490lm	6000K	EAN -5905339226129





# AR-111 LED SL

⚡ 12V DC    ⚙ G53    ⌚ 25000h    ⏻ (ON/OFF) 15000    ⚡ Ra>80    ⊕ ≤ 6x MacAdam Elipse    Ⓛ Ei > A+


22962	AR-111 LED SL/WW/SR	11 W	66 W	900lm	710lm	2700K	EAN -5905339229625
22963	AR-111 LED SL/CW/SR	11 W	66 W	900lm	710lm	6500K	EAN -5905339229632
22960	AR-111 LED SL/WW/W	11 W	66 W	900lm	710lm	2700K	EAN -5905339229601
22961	AR-111 LED SL/CW/W	11 W	66 W	900lm	710lm	6500K	EAN -5905339229618





WHITE  
BODY  
/W

SILVER  
BODY  
/SR







COB LED






DESIGN unique



LED COB

24° spot light

CLASSIC shape



CCT

# ES-111 LED REF

⚡ 220-240V; 50/60Hz

💡 GU10

🕒 17500h


☀️ 15000

☀️ Ra≥80



⊕ ≤6x MacAdam Ellipse

Ⓜ️ A

📁 25420	ES-111 REF LED-WW	🕒 12W	💡 53W	☀️ 680lm	◀️ 460lm	🟡 2700K	EAN -5905339254207
📁 25421	ES-111 REF LED-CW	🕒 12W	💡 55W	☀️ 730lm	◀️ 490lm	🟢 6000K	EAN -5905339254214




# ES-111 LED SL



⚡ 220-240V; 50/60Hz    ⏰ GU10    ⌚ 25000h    ⚡ (GPP) 15000    ⚡ Ra≥80    ⚡ ≤6x MacAdam Elipse    Ⓛ Et A+

22972	ES-111 LED SL/WW/SR	☾ 11 W	⚡ 66 W	☀ 900lm	◁ 730lm	2700K	EAN -5905339229724
22973	ES-111 LED SL/CW/SR	☾ 11 W	⚡ 66 W	☀ 900lm	◁ 730lm	6500K	EAN -5905339229731
22970	ES-111 LED SL/WW/W	☾ 11 W	⚡ 66 W	☀ 900lm	◁ 730lm	2700K	EAN -5905339229700
22971	ES-111 LED SL/CW/W	☾ 11 W	⚡ 66 W	☀ 900lm	◁ 730lm	6500K	EAN -5905339229717








T8



10W - 600  
18W - 1210  
22W - 1510



⚡ 220-240V; 50/60Hz

🔌 G13

🕒 25000h

🕒 (ON OFF) 15000

☀️ Ra≥80

👁️ ≤ 6x MacAdam Elipse

📦 E+ A++

📁 22658	T8 LED GLASSv2 9W-WW	👁️ 9W	☀️ 1080lm	🎨 3000K	EAN -5905339226587
📁 22654	T8 LED GLASSv2 9W-NW	👁️ 9W	☀️ 1080lm	🎨 4000K	EAN -5905339226549
📁 22659	T8 LED GLASSv2 9W-CW	👁️ 9W	☀️ 1080lm	🎨 6500K	EAN -5905339226594
📁 22656	T8 LED GLASSv2 18W-WW	👁️ 18W	☀️ 2160lm	🎨 3000K	EAN -5905339226563
📁 22655	T8 LED GLASSv2 18W-NW	👁️ 18W	☀️ 2160lm	🎨 4000K	EAN -5905339226556
📁 26060	T8 LED GLASSv2 18W-CW	👁️ 18W	☀️ 2160lm	🎨 6500K	EAN -5905339260604
📁 22657	T8 LED GLASSv2 24W-NW	👁️ 24W	☀️ 2880lm	🎨 4000K	EAN -5905339226570







OTHER





# SAYA



⚡ 220-240V; 50/60Hz

⚡ E14

🕒 20000h

📶 10000

🌞 Ra≥80

⊕ ≤6x MacAdam Elipse

📏 Ei > A++

📁 22280 SAYA LED16 SMD E14-WW

⚡ 2,6 W

💡 25W

☀️ 250lm

🟡 3000K

📦 EAN -5905339222800




MILKY cover



ALU radiator

LED SMD

110°



 **ESG**



⚡ 220-240V; 50/60Hz    ⏰ GX53    ⌚ 25000h    ⏴ 15000    ⚡ Ra≥80    ⊕ ≤ 6x MacAdam Ellipse    Ⓜ A+

📁 22420	ESG LED 7W GX53-WW	⚡ 7W	💡 41W	☀️ 480lm	◀️ 375lm	🟡 3000K	EAN -5905339224200
📁 22421	ESG LED 7W GX53-CW	⚡ 7W	💡 44W	☀️ 530lm	◀️ 415lm	🟢 6000K	EAN -5905339224217





**REPLA-  
CEABLE**  
LED  
module

**EASY**  
magnetic  
installation

**IDEAL  
FOR**  
ceiling  
lamp




**HIGH**  
lumen

**170°**

**IC | CC**  
driver

LED SMD

**MOD**



⚡ 220-240V; 50/60Hz



🕒 17500h

🔌 (ON/OFF) 15000

☀️ Ra≥80

👁️ ≤ 6x MacAdam Ellipse

📦 Ei > A+

- 📁 25732 MOD 12W LED-WW
- 📁 25730 MOD 12W LED-NW
- 📁 25733 MOD 20W LED-WW
- 📁 25731 MOD 20W LED-NW

- 🌀 12 W
- 🌀 12 W
- 🌀 20 W
- 🌀 20 W

- 🔌 ➡️ 73 W
- 🔌 ➡️ 73 W
- 🔌 ➡️ 110 W
- 🔌 ➡️ 110 W

- ☀️ 1020lm
- ☀️ 1020lm
- ☀️ 1700lm
- ☀️ 1700lm



- 🎨 3000K
- 🎨 4000K
- 🎨 3000K
- 🎨 4000K

- EAN -5905339257321
- EAN -5905339257307
- EAN -5905339257338
- EAN -5905339257314





# NIFO




⚡ 220-240V; 50/60 Hz    ⚙ E27    ⌚ 15000h    Ⓢ 15000    ⚡ Ra≥80    ⊕ ≤ 6x MacAdam Ellipse    [E] A+

📁 26050	NIFO LED 14W E27-WW-W	🕒 14 W	💡 80W	☀️ 1150lm	3000K	EAN -5905339260505
📁 26052	NIFO LED 20W E27-WW-W	🕒 20 W	💡 107W	☀️ 1650lm	3000K	EAN -5905339260529
📁 26054	NIFO LED 22W E27-WW-W	🕒 22 W	💡 118W	☀️ 1850lm	3000K	EAN -5905339260543




DESIGN  
unique





**HYBRID**  
radiator structure





LED SMD

120°



# RANGO



⚡ 220-240V; 50/60Hz    ⏏ R7S    ⌚ 20000h    ⏻ 20000    ⚡ Ra≥80    ⊕ ≤ 6x MacAdam Elipse    Ⓜ A+



- 📁 15098 RANGO R7S SMD-WW
- 🕒 6W
- 💡 500lm
- 🎨 3000K
- 📦 EAN -5907540962155
- 📁 26420 RANGO R7S SMD-NW
- 🕒 6W
- 💡 550lm
- 🎨 4000K
- 📦 EAN -5905339264206










LED STRIPS



LED SMD 2835







# LEDS-B<sub>WHITE</sub>

⚡ 12V DC    ⌚ 4,8W/m    📏 L=5m(100x5cm)=300LED    ⌚ 15000h    ⏸️ 10000    Ⓢ ≤6x MacAdam Ellipse    Ⓜ️ A-A++

📁 24516	LEDS-B 4.8W/M IP00-WW	☀️ 450lm/m	🟡 3000K	EAN -5905339245168
📁 24517	LEDS-B 4.8W/M IP00-NW	☀️ 470lm/m	⚪ 4000K	EAN -5905339245175
📁 24518	LEDS-B 4.8W/M IP00-CW	☀️ 500lm/m	🟡 6500K	EAN -5905339245182




LED SMD 2835



# LEDS-B<sub>WHITE</sub>

⚡ 12V DC   ⌚ 4,8W/m   📏 l=5m(100x5cm)=300LED   ⌚ 15000h   ⌚ (ON/OFF) 10000   ⏏ Ei A-A++

📁 24510	LEDS-B 4.8W/M IP54-WW	☀️ 270lm/m	🟡 3300-3900K	EAN -5905339245106
📁 24511	LEDS-B 4.8W/M IP54-NW	☀️ 300lm/m	🟢 4000-5500K	EAN -5905339245113
📁 24512	LEDS-B 4.8W/M IP54-CW	☀️ 320lm/m	🔵 6000-7500K	EAN -5905339245120







LED SMD 2835

120°

STRONG  
tape

FPC  
double side



# LEDS-B<sub>WHITE</sub>





⚡ 12VDC    ⌚ 4,8W/m    📏 l=5m(100x5cm)=300LED    ⌚ 15000h    ⌚ 10000    Ⓢ ≤6x MacAdam Ellipse    Ⓢ A - A++

📁 24513	LEDS-B 4.8W/M IP65-WW	☀️ 400lm/m	🟡 3000K	EAN -5905339245137
📁 24514	LEDS-B 4.8W/M IP65-NW	☀️ 425lm/m	🟡 4000K	EAN -5905339245144
📁 24515	LEDS-B 4.8W/M IP65-CW	☀️ 450lm/m	🟡 6500K	EAN -5905339245151






LED SMD 3528






# LEDS-B<sub>BLUE</sub>

⚡ 12V DC   ⚙️ 4,5W/m   📏 l=5m(100x5cm)=300LED   ⌚ 17500h   ⏱️ (ON/OFF) 15000   🏠 Ei > A-A++

📁 24543 LEDS-B 4.5W/M IP54-BL   🌞 70lm/m   **BLUE**   EAN -5905339245434



LED SMD 5050








# LEDS-B<sub>RGB</sub>

⚡ 12V DC   ⚙️ 7,2W/m   📏 l=5m(50x10cm)=150LED   ⌚ 15000h   ⚙️ 15000   ⚙️ ≤6x MacAdam Ellipse   Ⓜ️ Ei A- A++

- 📁 24530 LEDS-B 7.2W/M IP00RGB ☀️ max 130lm/m IP 00 RGB EAN -5905339245304
- 📁 24531 LEDS-B 7.2W/M IP54RGB ☀️ max 130lm/m IP 54 RGB EAN -5905339245311
- 📁 24532 LEDS-B 7.2W/M IP65RGB ☀️ max 130lm/m IP 65 RGB EAN -5905339245328



LED SMD 2835








# LEDS-P WHITE

⚡ 12V DC    📏 l=5m(100x5cm)=300LED    ⌚ 17500h    Ⓢ 15000    ⊕ ≤6x MacAdam Elipse    Ⓜ A-A++

24010	LEDS-P 4W/M IP00-WW	4 W/m	300lm/m	3000K	EAN -5905339240101
24011	LEDS-P 4W/M IP00-CW	4 W/m	300lm/m	6000K	EAN -5905339240118
24120	LEDS-P 10W/M IP00 WW	10 W/m	900lm/m	3000K	EAN -5905339241207
24121	LEDS-P 10W/M IP00 CW	10 W/m	900lm/m	6000K	EAN -5905339241214



LED SMD 2835



# LEDS-P WHITE

⚡ 12V DC    📏 l=5m(100x5cm)=300LED    ⌚ 17500h    ⚡ ON/OFF 15000    ⦿ ≤6x MacAdam Elipse    📦 Ei > A- A++

📁 24012	LEDS-P 4W/M IP54-WW	👁️ 4 W/m	☀️ 300lm/m	📏 3500K	EAN -5905339240125
📁 24013	LEDS-P 4W/M IP54-CW	👁️ 4 W/m	☀️ 300lm/m	📏 5700K	EAN -5905339240132
📁 24122	LEDS-P 10W/M IP54 WW	👁️ 10 W/m	☀️ 800lm/m	📏 3500K	EAN -5905339241221
📁 24123	LEDS-P 10W/M IP54 CW	👁️ 10 W/m	☀️ 800lm/m	📏 5700K	EAN -5905339241238






CONTROLLER LED RGB-RF



CONTROLLER LED RGB-IR20





CONTROLLER LED RGB-IR



# CONTROLLER<sub>LED RGB</sub>

CONTROLLER FOR LED RGB LINE MODULES

<b>22140</b>	CONTROLLER LED RGB-RF	12V DC	In max 15A	silver	EAN -5905339221407
<b>18960</b>	CONTROLLER LED RGB-IR20	12V DC	In max 6A	white	EAN -5905339189608
<b>08041</b>	CONTROLLER LED RGB-IR	12V-24V DC	In max 12A	silver	EAN -5905339080417



# CONNECTOR

⚡ 12V DC

CONNECTOR FOR LED LINE MODULES

2A

20PCS

- 📁 19030 CONNECTOR 8 EAN -5905339190307
- 📁 19032 CONNECTOR 8-CP EAN -5905339190321
- 📁 19033 CONNECTOR 8-CPC EAN -5905339190338

- 📁 19038 CONNECTOR RGB 10 EAN -5905339190383
- 📁 19036 CONNECTOR RGB 10-CP EAN -5905339190369
- 📁 19037 CONNECTOR RGB 10-CPC EAN -5905339190376





# ● double LED set with a pass through detector



LED SMD 2835

for bedroom and furniture use



## LEDS-SET B-SE

⚡ PRI: 220-240V; 50/60Hz; SEC: 12V DC    📏 l=1,2m    ⌚ 15000h    ⚡ 15000    Ⓢ ≤ 6x MacAdam Ellipse    Ⓛ A - A++



● **single LED set with a pass through detector**



PIR MOTION sensor

Adjustable working time  
30s-6min

IP54

LED SMD 2835

for bedroom and furniture use



**LEDS-SET** B-SE

⚡ PRI: 220-240V; 50/60Hz; SEC: 12V DC    Ⓛ I=1,2m    ⌚ 15000h    Ⓢ 15000    Ⓞ ≤6x MacAdam Ellipse    Ⓔ A - A++

📁 26324 LEDS SET B-SE SGL    🌀 3,3 W    ☀️ 240lm    📏 3000-3900K    EAN -5905339263247







# • dimmable LED set with a proximity switch



LED SMD 2835



for furniture and wardrobes use



## LEDS-SET<sub>s</sub>

⚡ PRI: 220-240V; 50/60Hz; SEC: 12V DC    Ⓜ l=1,5m=90LED    ⌚ 15000h    ⏸ 15000    ⊕ ≤6x MacAdam Ellipse    Ⓜ Ei > A-A++

📁 26320 LEDS SET S-DIM IR    ⚙️ 7,5 W    ☀️ 450lm    📏 3000-3900K    EAN -5905339263209





● **dimmable LED set** with a touch switch



LED SMD 2835



for furniture and wardrobes use



**LEDS-SET<sub>s</sub>**

⚡ PRI: 220-240V; 50/60Hz; SEC: 12V DC

🌀 l=1,5m=90LED

🕒 15000h

🌞 15000

🔄 ≤ 6x MacAdam Elipse

📦 E1 A - A++

📁 26321 LEDS SET S-DIM TS 🔄 7,5 W 🌞 450lm 📦 3000-3900K EAN -5905339263216





# ● accumulator LED set with a pass through detector



LED SMD 2835

for wardrobes and cabinet use



## LEDS-SET W-SE ACCU

⚡ 3,7V DC    ⏱ I=1m=30LED    ⌚ 15000h    ⏴ 15000    ⚙ ≤ 6x MacAdam Ellipse    Ⓛ Ei A-A++  
built-in rechargeable battery

📁 26322 LEDS SET W-SE ACCU    ⚙ 2,4 W    ☀ 180lm    📏 3000-3900K    EAN -5905339263223



● **battery LED set** with a pass through detector

PIR MOTION sensor

Working time 15s



IP54

LED SMD 2835

for wardrobes and cabinet use

LED technology

**LEDS-SET** W-SE BTRY



⚡ 4xAAA 1,2V DC    Ⓜ I=1m=30LED    ⌚ 15000h    Ⓞ (ON OFF) 15000    ⊕ ≤ 6x MacAdam Elipse    Ⓜ A - A++

📁 26323 LEDS SET W-SE BTRY    🌀 2,4 W    ☀️ 180lm    📏 3000-3900K    EAN -5905339263230






LED PROFILES









PROFILO A - MULTI PURPOSE ALUMINIUM PROFILE



PROFILO A



# PROFILO<sub>A</sub>




PROFILE FOR LINEAR LED MODULES

- |  |                         |  |             |                    |
|--|-------------------------|--|-------------|--------------------|
|  | <b>19160</b> PROFILO A  |  | aluminum    | EAN -5905339191601 |
|  | <b>19170</b> SHADE A-FR |  | transparent | EAN -5905339191700 |
|  | <b>19190</b> HANDLE A   |  | grey        | EAN -5905339191908 |






PROFILO B - SMALL SURFACE ALUMINIUM PROFILE




PROFILO B

PROFILO B + SHADE B-W

PROFILO B + SHADE B-FR



# PROFILO<sub>B</sub>




PROFILE FOR LINEAR LED MODULES



📁 19161	PROFILO B	🎨 aluminum	EAN -5905339191618
📁 26540	PROFILO B 2M	🎨 aluminum	EAN -5905339265401
📁 19172	SHADE B-FR	🎨 transparent	EAN -5905339191724
📁 19171	SHADE B-W	🎨 white	EAN -5905339191717
📁 26570	SHADE B/F-FR 2M	🎨 transparent	EAN -5905339265708
📁 26571	SHADE B/F-W 2M	🎨 white	EAN -5905339265715
📁 26604	CONNECT-L B	🎨 aluminum	EAN -5905339266040
📁 19181	STOPPER B	🎨 grey	EAN -5905339191816



PROFILO C - CORNER ALUMINIUM PROFILE (ANGULAR 30°, 60°)




PROFILO C

PROFILO C + SHADE C-W

PROFILO C + SHADE C-FR

# PROFILO<sub>C</sub>





PROFILE FOR LINEAR LED MODULES

	19162	PROFILO C	aluminum	EAN -5905339191625
	26541	PROFILO C 2M	aluminum	EAN -5905339265418
slide	19173	SHADE C/D/E-FR	transparent	EAN -5905339191731
	19174	SHADE C/D/E-W	white	EAN -5905339191748
click	26573	SHADE C/D/E/I-FR 2M	transparent	EAN -5905339265739
	26575	SHADE C/D/E/I-W 2M	white	EAN -5905339265753
	26576	SHADE CK C/D/E/I-FR	transparent	EAN -5905339265760
	26577	SHADE CK C/D/E/I-FR2M	transparent	EAN -5905339265777
	26578	SHADE CK C/D/E/I-W	white	EAN -5905339265784
	26579	SHADE CK C/D/E/I-W 2M	white	EAN -5905339265791
	19182	STOPPER C	grey	EAN -5905339191823
	19191	HANDLE C/D/E	grey	EAN -5905339191915
	26562	CONNECT-L C	aluminum	EAN -5905339265623
	19192	CONNECT C/D/E	aluminum	EAN -5905339191922






PROFILO D - SURFACE ALUMINIUM PROFILE



# PROFILO<sub>D</sub>




PROFILE FOR LINEAR LED MODULES

- |       |       |                       |             |                    |
|-------|-------|-----------------------|-------------|--------------------|
|       | 19163 | PROFILO D             | aluminum    | EAN -5905339191632 |
|       | 26542 | PROFILO D 2M          | aluminum    | EAN -5905339265425 |
| slide | 19173 | SHADE C/D/E-FR        | transparent | EAN -5905339191731 |
|       | 19174 | SHADE C/D/E-W         | white       | EAN -5905339191748 |
| click | 26573 | SHADE C/D/E/I-FR 2M   | transparent | EAN -5905339265739 |
|       | 26575 | SHADE C/D/E/I-W 2M    | white       | EAN -5905339265753 |
|       | 26576 | SHADE CK C/D/E/I-FR   | transparent | EAN -5905339265760 |
|       | 26577 | SHADE CK C/D/E/I-FR2M | transparent | EAN -5905339265777 |
|       | 26578 | SHADE CK C/D/E/I-W    | white       | EAN -5905339265784 |
|       | 26579 | SHADE CK C/D/E/I-W 2M | white       | EAN -5905339265791 |
|       | 19183 | STOPPER D             | grey        | EAN -5905339191830 |
|       | 19191 | HANDLE C/D/E          | grey        | EAN -5905339191915 |
|       | 19192 | CONNECT C/D/E         | aluminum    | EAN -5905339191922 |



PROFILO E - RECESSED ALUMINIUM PROFILE




PROFILO E

PROFILO E + SHADE E-W

PROFILO E + SHADE E-FR

# PROFILO<sub>E</sub>




PROFILE FOR LINEAR LED MODULES



<p>slide</p> <p>←</p>	<p>19164 PROFILO E</p> <p>26543 PROFILO E 2M</p>	<p>aluminum</p> <p>aluminum</p> <p>transparent</p> <p>white</p> <p>transparent</p> <p>white</p>	<p>EAN -5905339191649</p> <p>EAN -5905339265432</p> <p>EAN -5905339191731</p> <p>EAN -5905339191748</p> <p>EAN -5905339265739</p> <p>EAN -5905339265753</p>
	<p>19173 SHADE C/D/E-FR</p> <p>19174 SHADE C/D/E-W</p>		
	<p>26573 SHADE C/D/E/I-FR 2M</p> <p>26575 SHADE C/D/E/I-W 2M</p>		
	<p>26576 SHADE CK C/D/E/I-FR</p> <p>26577 SHADE CK C/D/E/I-FR2M</p>		
	<p>26578 SHADE CK C/D/E/I-W</p> <p>26579 SHADE CK C/D/E/I-W 2M</p>		
<p>click</p> <p>↑</p>	<p>19184 STOPPER E</p> <p>19191 HANDLE C/D/E</p> <p>19192 CONNECT C/D/E</p>	<p>transparent</p> <p>white</p> <p>white</p> <p>grey</p> <p>grey</p> <p>aluminum</p>	<p>EAN -5905339265760</p> <p>EAN -5905339265777</p> <p>EAN -5905339265784</p> <p>EAN -5905339265791</p> <p>EAN -5905339191847</p> <p>EAN -5905339191915</p> <p>EAN -5905339191922</p>




PROFILO J - BASIC SURFACE ALUMINIUM PROFILE



PROFILO J



# PROFILO<sub>J</sub>



aluminum



sclick




PROFILE FOR LINEAR LED MODULES




- |         |                 |               |                    |
|---------|-----------------|---------------|--------------------|
| 📁 26544 | PROFILO J       | 👤 aluminum    | EAN -5905339265449 |
| 📁 26545 | PROFILO J 2M    | 👤 aluminum    | EAN -5905339265456 |
| 📁 26546 | PROFILO J-W     | 👤 white       | EAN -5905339265463 |
| 📁 26547 | PROFILO J-W 2M  | 👤 white       | EAN -5905339265470 |
| 📁 26564 | SHADE J/K-FR    | 👤 transparent | EAN -5905339265647 |
|         | SHADE J/K-W     | 👤 white       | EAN -5905339265654 |
|         | SHADE J/K-FR 2m | 👤 transparent | EAN -5905339265661 |
| 📁 26567 | SHADE J/K-W 2m  | 👤 white       | EAN -5905339265678 |
| 📁 26588 | STOPPER J       | 👤 grey        | EAN -5905339265883 |
| 📁 26605 | STOPPER J-W     | 👤 white       | EAN -5905339266057 |
| 📁 26595 | HANDLE J/K      | 👤 grey        | EAN -5905339265951 |



PROFILO K - SMALL RECESSED ALUMINIUM PROFILE



# PROFILO<sub>K</sub>



PROFILE FOR LINEAR LED MODULES




26548	PROFILO K	aluminum	EAN -5905339265487
26549	PROFILO K 2M	aluminum	EAN -5905339265494
26550	PROFILO K-W	white	EAN -5905339265500
26551	PROFILO K-W 2M	white	EAN -5905339265517
26564	SHADE J/K-FR	transparent	EAN -5905339265647
26565	SHADE J/K-W	white	EAN -5905339265654
26566	SHADE J/K-FR 2m	transparent	EAN -5905339265661
26567	SHADE J/K-W 2m	white	EAN -5905339265678
26589	STOPPER K	grey	EAN -5905339265890
26606	STOPPER K-W	white	EAN -5905339266064
26595	HANDLE J/K	grey	EAN -5905339265951







PROFILO F - TALL SURFACE ALUMINIUM PROFILE



PROFILO F + SHADE D-W



# PROFILO<sub>F</sub>






PROFILE FOR LINEAR LED MODULES




- |         |                 |               |                    |
|---------|-----------------|---------------|--------------------|
| 📁 26552 | PROFILO F       | 👤 aluminum    | EAN -5905339265524 |
| 📁 26553 | PROFILO F 2M    | 👤 aluminum    | EAN -5905339265531 |
| 📁 26568 | SHADE B/F-FR    | 👤 transparent | EAN -5905339265685 |
| 📁 26569 | SHADE B/F-W     | 👤 white       | EAN -5905339265692 |
| 📁 26570 | SHADE B/F-FR 2M | 👤 transparent | EAN -5905339265708 |
| 📁 26571 | SHADE B/F-W 2M  | 👤 white       | EAN -5905339265715 |
| 📁 26590 | STOPPER F       | 👤 grey        | EAN -5905339265906 |
| 📁 26596 | HANDLE B/F      | 👤 grey        | EAN -5905339265968 |



PROFILO I - A RECESSED PROFILE WHICH CAN GIVE COUNTINOUS LINE EFFECT



# PROFILO I




PROFILE FOR LINEAR LED MODULES



	26554	PROFILO I	aluminum	EAN -5905339265548
	26555	PROFILO I 2M	aluminum	EAN -5905339265555
	26556	PROFILO I-W	white	EAN -5905339265562
	26557	PROFILO I-W 2M	white	EAN -5905339265579
slide	26572	SHADE C/D/E/I-FR	transparent	EAN -5905339265722
	26573	SHADE C/D/E/I-FR 2M	transparent	EAN -5905339265739
	26574	SHADE C/D/E/I-W	white	EAN -5905339265746
	26575	SHADE C/D/E/I-W 2M	white	EAN -5905339265753
click	26576	SHADE CK C/D/E/I-FR	transparent	EAN -5905339265760
	26577	SHADE CK C/D/E/I-FR2M	transparent	EAN -5905339265777
	26578	SHADE CK C/D/E/I-W	white	EAN -5905339265784
	26579	SHADE CK C/D/E/I-W 2M	white	EAN -5905339265791
	26591	STOPPER I	grey	EAN -5905339265913
	26603	STOPPER I-W	white	EAN -5905339266033
	26563	CONNECT C/D/E/I	aluminum	EAN -5905339265630
	26597	HANDLE C/D/E/I	grey	EAN -5905339265975
	26601	SPRING I	chrome	EAN -5905339266019




PROFILO G - RECESSED FLOOR ALUMINIUM PROFILE



PROFILO G + SHADE E-W



# PROFILO<sub>G</sub>





PROFILE FOR LINEAR LED MODULES



- |         |       |               |          |                    |
|---------|-------|---------------|----------|--------------------|
| click { | 26558 | PROFILO G     | aluminum | EAN -5905339265586 |
|         | 26559 | PROFILO G 2M  | aluminum | EAN -5905339265593 |
|         | 26580 | SHADE CK G    | white    | EAN -5905339265807 |
|         | 26581 | SHADE CK G 2M | white    | EAN -5905339265814 |
|         | 26592 | STOPPER G     | grey     | EAN -5905339265920 |
|         | 26598 | HANDLE G      | grey     | EAN -5905339265982 |
|         | 26602 | SEALINGS G    | grey     | EAN -5905339266026 |



PROFILO H - FLEXIBLE ALUMINIUM PROFILE



# PROFILO<sub>H</sub>



PROFILE FOR LINEAR LED MODULES

click	26560	PROFILO H	aluminum	EAN -5905339265609
	26561	PROFILO H 2M	aluminum	EAN -5905339265616
	26582	SHADE-U H-FR	transparent	EAN -5905339265821
	26583	SHADE-U H-FR 2M	transparent	EAN -5905339265838
	26584	SHADE-U H-W	white	EAN -5905339265845
	26585	SHADE-U H-W 2M	white	EAN -5905339265852
	26586	SHADE-O H-W	white	EAN -5905339265869
	26587	SHADE-O H-W 2M	white	EAN -5905339265876
	26593	STOPPER-U H	grey	EAN -5905339265937
	26594	STOPPER-O H	grey	EAN -5905339265944
	26599	HANDLE H	grey	EAN -5905339265999
	26600	HANDLE SIDE H	grey	EAN -5905339266002





GIVRO SYSTEM





# GIVRO<sub>LED</sub>

⚡ 220-240V DC    ⌚ 125W    ⌋ 50x1M=1800LED    ⌚ 50000h    ⚡ ≤ 6x MacAdam Ellipse    Ⓔ A - A++

📁 08642	GIVRO LED-WW 50M	🟡 warm white	EAN -5905339086426
📁 08630	GIVRO LED-CW 50M	🟦 cool white	EAN -5905339086303
📁 08634	GIVRO LED-Y 50M	🟡 yellow	EAN -5905339086341
📁 08633	GIVRO LED-GN 50M	🟢 green	EAN -5905339086334
📁 08631	GIVRO LED-BL 50M	🟠 blue	EAN -5905339086310
📁 08632	GIVRO LED-RE 50M	🔴 red	EAN -5905339086327




GIVRO SYSTEM



# GIVRO ACCESSORIES

⚡ 220-240V DC    ELEMENTS OF THE GIVRO LED SYSTEM

- 📁 **08637** GIVRO PR SET            EAN -5905339086372
- 📁 **08636** GIVRO-90L            EAN -5905339086365
- 📁 **08639** GIVRO-I                EAN -5905339086396
- 📁 **08641** GIVRO-T                EAN -5905339086419
- 📁 **08635** GIVRO-X                EAN -5905339086358
- 📁 **08640** GIVRO-PEND        EAN -5905339086402
- 📁 **08638** GIVRO-Z                EAN -5905339086389
















HALOGENS





 **GLH**



⚡ 220-240V; 50/60Hz





⌚ E27

⌚ 2000h


☀️ 8000

Ⓜ️ C

📁 18450	GLH/CL 28W E27	🔍 28W	🔌 ➔	37W	☀️ 370lm	2700K ±100K	EAN -5905339184504
📁 18451	GLH/CL 42W E27	🔍 42W	🔌 ➔	55W	☀️ 624lm	2700K ±100K	EAN -5905339184511
📁 18452	GLH/CL 52W E27	🔍 52W	🔌 ➔	68W	☀️ 815lm	2700K ±100K	EAN -5905339184528
📁 18453	GLH/CL 70W E27	🔍 70W	🔌 ➔	91W	☀️ 1172lm	2700K ±100K	EAN -5905339184535
📁 18454	GLH/CL 100W E27	🔍 100W	🔌 ➔	129W	☀️ 1800lm	2800K ±100K	EAN -5905339184542



# CDH



⚡ 220-240V; 50/60Hz

⚡ E14

🕒 2000h




☀️ 8000

Ⓜ️ C

- |         |                |       |       |          |             |                    |
|---------|----------------|-------|-------|----------|-------------|--------------------|
| 📁 18440 | CDH/CL 28W E14 | 🕒 28W | 🔌 37W | ☀️ 370lm | 2700K ±100K | EAN -5905339184405 |
| 📁 18441 | CDH/CL 42W E14 | 🕒 42W | 🔌 55W | ☀️ 624lm | 2700K ±100K | EAN -5905339184412 |



# MGH



⚡ 220-240V; 50/60Hz

🕒 2000h

🔌 (ON/OFF) 8000

Ⓜ Ei > C



📁 24610	MGH/CL 28W E27	≡ E27	🔌➡💡 37W	☀️ 375lm	2800K ±100K	EAN -5905339246103
📁 24611	MGH/CL 28W E14	≡ E14	🔌➡💡 37W	☀️ 375lm	2800K ±100K	EAN -5905339246110
📁 24612	MGH/CL 42W E27	≡ E27	🔌➡💡 55W	☀️ 625lm	2800K ±100K	EAN -5905339246127
📁 24613	MGH/CL 42W E14	≡ E14	🔌➡💡 55W	☀️ 625lm	2800K ±100K	EAN -5905339246134







# G9<sub>STAR</sub>



⚡ 220-240V; 50/60Hz



💡 G9

🕒 2000h




(ON/OFF) 8000

Ⓜ EI > C

📁 18420	G9-20W STAR	🕒 20W	💡 26W	☀️ 235lm	2700K ±100K	EAN -5905339184207
📁 18421	G9-33W STAR	🕒 33W	💡 43W	☀️ 460lm	2700K ±100K	EAN -5905339184214
📁 18422	G9-48W STAR	🕒 48W	💡 63W	☀️ 740lm	2700K ±100K	EAN -5905339184221
📁 18423	G9-60W STAR	🕒 60W	💡 78W	☀️ 975lm	2700K ±100K	EAN -5905339184238





JC<sub>G4/GY6.35</sub>








10720	JC-5W G4	G4	5W	60lm	2700K ±100K	EAN -5905339107206
10722	JC-10W G4	G4	10W	120lm	2700K ±100K	EAN -5905339107220
10724	JC-20W G4	G4	20W	330lm	2700K ±100K	EAN -5905339107244
10726	JC-35W G4	G4	35W	600lm	2700K ±100K	EAN -5905339107268
10432	JC-10W4/EK	G4	10W	96lm	2700K ±100K	EAN -5905339104328
10433	JC-20W4/EK	G4	20W	280lm	2700K ±100K	EAN -5905339104335
10434	JC-35W4/EK	G4	35W	540lm	2700K ±100K	EAN -5905339104342
10730	JC-20W GY6.35	GY6.35	20W	330lm	2700K ±100K	EAN -5905339107305
10732	JC-35W GY6.35	GY6.35	35W	600lm	2700K ±100K	EAN -5905339107329
10734	JC-50W GY6.35	GY6.35	50W	950lm	2700K ±100K	EAN -5905339107343





J



⚡ 220-240V; 50/60Hz

🔌 R7s

🕒 2000h

🕒 (ON/OFF) 8000

📁 10418 J-1000W 189MM

🔌 1000W

☀️ 16000lm

2700K ±100K

📦 D

EAN -5905339104182

📁 10419 J-1500W 254MM



🔌 1500W

☀️ 31000lm



2700K ±100K

📦 C

EAN -5905339104199



**J STAR**



⚡ 220-240V; 50/60Hz

🔌 R7s

🕒 2000h

🌞 (ON OFF) 8000

📏 E1 C

📁 08490	J-80W 78MM STAR	🌀 80W	🔌➡️💡 103W	☀️ 1380lm	2700K ±100K	EAN -5905339084903
📁 08491	J-120W 78MM STAR	🌀 120W	🔌➡️💡 155W	☀️ 2220lm	2700K ±100K	EAN -5905339084910
📁 08500	J-120W 118MM STAR	🌀 120W	🔌➡️💡 155W	☀️ 2220lm	2700K ±100K	EAN -5905339085009
📁 08501	J-160W 118MM STAR	🌀 160W	🔌➡️💡 206W	☀️ 3100lm	2700K ±100K	EAN -5905339085016
📁 08502	J-230W 118MM STAR	🌀 230W	🔌➡️💡 309W	☀️ 4650lm	2700K ±100K	EAN -5905339085023
📁 08503	J-400W 118MM STAR	🌀 400W	🔌➡️💡 568W	☀️ 8550lm	2700K ±100K	EAN -5905339085030



FLUORESCENT LAMPS  
METAL-HALIDE LAMPS







2G11









ENERGY  
saving



 **PL-L**



 2G11     10000h     ≤ 5x MacAdam Elipse     A



-  22560 PL-L-24W/4P 4000K  24W  1800lm
-  22561 PL-L-36W/4P 4000K  36W  2920lm

- 4000K EAN-5905339225603
- 4000K EAN-5905339225610







GR10q




**DD**



· DD...16W-21W ·



· DD...28W-35W ·



CCT



GR10q 8000h ≤5x MacAdam Ellipse Ei A

12660	DD-16W/4P 3500K	16W	1056lm	3500K	EAN -5905339126603
12661	DD-21W/4P 3500K	21W	1344lm	3500K	EAN -5905339126610
12662	DD-28W/4P 3500K	28W	2044lm	3500K	EAN -5905339126627
12663	DD-38W/4P 3500K	38W	2698lm	3500K	EAN -5905339126634





# T1U/T2U



4000K

Ra≥80



≤ 5x MacAdam Ellipse

10671 T1U-9W/K	G23	9W	603lm	8000h	Ei A	EAN -5905339106711
10672 T1U-11W/K	G23	11W	902lm	8000h	Ei A	EAN -5905339106728
10661 T2U-18W/K	G24d	18W	1200lm	8000h	Ei B	EAN -5905339106612
10662 T2U-26W/K	G24d	26W	1716lm	8000h	Ei B	EAN -5905339106629
08963 T2U-18W/4P 4000K	G24q	18W	1206lm	10000h	Ei A	EAN -5905339089632
08961 T2U-26W/4P 4000K	G24q	26W	1716lm	10000h	Ei A	EAN -5905339089618







TRI  
PHOS  
PHOR





**T8**






19920	T8 18W/830 WW	18W	1350lm	3000K	Ei A	EAN -5905339199201	600mm
19921	T8 18W/840 NW	18W	1350lm	4000K	Ei A	EAN -5905339199218	600mm
19922	T8 18W/865 CW	18W	1250lm	6500K	Ei A	EAN -5905339199225	600mm
19923	T8 36W/830 WW	36W	3350lm	3000K	Ei A+	EAN -5905339199232	1210mm
19924	T8 36W/840 NW	36W	3350lm	4000K	Ei A+	EAN -5905339199249	1210mm
19925	T8 36W/865 CW	36W	3050lm	6500K	Ei A	EAN -5905339199256	1210mm
19926	T8 58W/830 WW	58W	5250lm	3000K	Ei A+	EAN -5905339199263	1510mm
19927	T8 58W/840 NW	58W	5250lm	4000K	Ei A+	EAN -5905339199270	1510mm
19928	T8 58W/865 CW	58W	5000lm	6500K	Ei A	EAN -5905339199287	1510mm




**T5**

8W	285
13W	530
14W	563
21W	850
28W	1163
35W	1465
49W	1463
54W	1163
80W	1463










12710	T5-8W 2700K/65	8W	Ra≥65	688lm	2700K	Ei A+	10000h	EAN -5905339127105	285mm
12715	T5-8W 4000K/65	8W	Ra≥65	688lm	4000K	Ei A+	10000h	EAN -5905339127150	285mm
12711	T5-13W 2700K/65	13W	Ra≥65	1118lm	2700K	Ei A+	10000h	EAN -5905339127112	515mm
12716	T5-13W 4000K/65	13W	Ra≥65	1118lm	4000K	Ei A+	10000h	EAN -5905339127167	515mm
12712	T5-14W 2700K/82	14W	Ra≥80	1204lm	2700K	Ei A+	20000h	EAN -5905339127129	545mm
12717	T5-14W 4000K/82	14W	Ra≥80	1204lm	4000K	Ei A+	20000h	EAN -5905339127174	545mm
12713	T5-21W 2700K/82	21W	Ra≥80	1890lm	2700K	Ei A+	20000h	EAN -5905339127136	850mm
12718	T5-21W 4000K/82	21W	Ra≥80	1890lm	4000K	Ei A+	20000h	EAN -5905339127181	850mm
12714	T5-28W 2700K/82	28W	Ra≥80	2604lm	2700K	Ei A+	20000h	EAN -5905339127143	1163mm
12719	T5-28W 4000K/82	28W	Ra≥80	2604lm	4000K	Ei A+	20000h	EAN -5905339127198	1163mm
12720	T5-35W 2700K/82	35W	Ra≥80	3290lm	2700K	Ei A+	20000h	EAN -5905339127204	1465mm
12722	T5-35W 4000K/82	35W	Ra≥80	3290lm	4000K	Ei A+	20000h	EAN -5905339127228	1465mm
22410	T5-49W 4000K/82	49W	Ra≥80	4350lm	4000K	Ei A+	20000h	EAN -5905339224101	1463mm
22412	T5-54W 4000K/82	54W	Ra≥80	4430lm	4000K	Ei A	20000h	EAN -5905339224125	1163mm
22414	T5-80W 4000K/82	80W	Ra≥80	6200lm	4000K	Ei A	20000h	EAN -5905339224149	1463mm




PRO  
FESSIO  
NAL  
use




MHR



·MHR-70W·



·MHR-150W·




CCT

Rx7s 10000h E1 A




- |       |                |      |         |       |                   |
|-------|----------------|------|---------|-------|-------------------|
| 12750 | MHR-70W/3000K  | 70W  | 5600lm  | 3000K | EAN-5905339127501 |
| 12751 | MHR-150W/3000K | 150W | 12500lm | 3000K | EAN-5905339127518 |






PRO  
FESSIO  
NAL  
use



 **MHG**



 G12  8000h  A+

- 📁 08330
MHG-70W/4000K
 70W
 6000lm
4000K
EAN -5905339083302
- 📁 08331
MHG-150W/4000K
 150W
 13500lm
4000K
EAN -5905339083319

PRO  
FESSIO  
NAL  
use



— Ø46 —



255


· MHE...250W ·

— Ø46 —



273

· MHE...400W ·



CCT



MHE



12000h













- 12755** MHE-250W/4200K 250W 23000lm
- 12756** MHE-400W/4200K 400W 37000lm


- 4200K Ei A EAN -5905339127556
- 4200K Ei A+ EAN -5905339127563





SYMBOLS

	Kanlux code		uniformity of color
	power supply		energy efficiency class
	power		equivalent of traditional bulb
	caps		luminous flux
	lifetime		luminous flux distribution angle
	number of switch cycles		colour rendering index



INDEX

14	APPLE LED E27-WW	24256	114	DD-16W/4P 3500K	12660	49	GIO LED G9 NW	22661	26	IDO 4,5W T SMD E14-WW	23382
56	AR-111 LED SL/CW/SR	22963	114	DD-21W/4P 3500K	12661	49	GIO LED G9 WW	22660	27	IDO 6,5W T SMD E14-NW	23491
56	AR-111 LED SL/CW/W	22961	114	DD-28W/4P 3500K	12662	99	GIVRO LED-BL 50M	08631	27	IDO 6,5W T SMD E14-WW	23490
56	AR-111 LED SL/WW/SR	22962	114	DD-38W/4P 3500K	12663	99	GIVRO LED-CW 50M	08630	110	J-1000W 189MM	10418
56	AR-111 LED SL/WW/W	22960	9	DIXI FILLED 4W E27-WW	22464	99	GIVRO LED-GN 50M	08633	111	J-120W 118MM STAR	08500
55	AR-111 REF LED G53-CW	22612	9	DIXI FILLED 6W E27-WW	22468	99	GIVRO LED-RE 50M	08632	111	J-120W 78MM STAR	08491
55	AR-111 REF LED G53-WW	22613	9	DIXI FILLED 8W E27-WW	26044	99	GIVRO LED-WW 50M	08642	110	J-1500W 254MM	10419
30	BILO 3W T SMD E14-WW	23040	26	DUN 4,5W T SMD E14-NW	23381	99	GIVRO LED-Y 50M	08634	111	J-160W 118MM STAR	08501
30	BILO 3W T SMD E27-WW	23041	26	DUN 4,5W T SMD E14-WW	23380	100	GIVRO PR SET	08637	111	J-230W 118MM STAR	08502
30	BILO 5W T SMD E14-WW	23042	27	DUN 6,5W T SMD E14-NW	23431	100	GIVRO-90L	08636	111	J-400W 118MM STAR	08503
30	BILO 5W T SMD E27-WW	23043	27	DUN 6,5W T SMD E14-WW	23430	100	GIVRO-I	08639	111	J-80W 78MM STAR	08490
31	BILO 6,5W T SMDE14-NW	23423	59	ES-111 LED SL/CW/SR	22973	100	GIVRO-PEND	08640	109	JC-10W G4	10722
31	BILO 6,5W T SMDE14-WW	23422	59	ES-111 LED SL/CW/W	22971	100	GIVRO-T	08641	109	JC-10W4/EK	10432
31	BILO 6,5W T SMDE27-NW	23421	59	ES-111 LED SL/WW/SR	22972	100	GIVRO-X	08635	109	JC-20W G4	10724
31	BILO 6,5W T SMDE27-WW	23420	59	ES-111 LED SL/WW/W	22970	100	GIVRO-Z	08638	109	JC-20W GY6.35	10730
104	CDH/CL 28W E14	18440	58	ES-111 REF LED-CW	25421	103	GLH/CL 100W E27	18454	109	JC-20W4/EK	10433
104	CDH/CL 42W E14	18441	58	ES-111 REF LED-WW	25420	103	GLH/CL 28W E27	18450	109	JC-35W G4	10726
89	CONNECT C/D/E	19192	64	ESG LED 7W GX53-CW	22421	103	GLH/CL 42W E27	18451	109	JC-35W GY6.35	10732
90	CONNECT C/D/E	19192	64	ESG LED 7W GX53-WW	22420	103	GLH/CL 52W E27	18452	109	JC-35W4/EK	10434
91	CONNECT C/D/E	19192	43	FULLED GU10-3,3W-CW	26035	103	GLH/CL 70W E27	18453	109	JC-50W GY6.35	10734
95	CONNECT C/D/E/I	26563	43	FULLED GU10-3,3W-NW	26034	87	HANDLE A	19190	109	JC-5W G4	10720
88	CONNECT-L B	26604	43	FULLED GU10-3,3WS3-CW	26032	94	HANDLE B/F	26596	51	LED12 SMD G4-WW	08951
89	CONNECT-L C	26562	43	FULLED GU10-3,3WS3-NW	26031	89	HANDLE C/D/E	19191	40	LED15 C GU10-CW-C	23931
79	CONNECTOR 8	19030	43	FULLED GU10-3,3WS3-WW	26030	90	HANDLE C/D/E	19191	40	LED15 C GU10-WW-C	23930
79	CONNECTOR 8-CP	19032	43	FULLED GU10-3,3W-WW	26033	91	HANDLE C/D/E	19191	44	LED15 C MR16-CW-B	22204
79	CONNECTOR 8-CPC	19033	21	G125 FILLED 6W E27-WW	26042	95	HANDLE C/D/E/I	26597	44	LED15 C MR16-WW-B	22203
79	CONNECTOR RGB 10	19038	107	G9-20W STAR	18420	96	HANDLE G	26598	51	LED6 SMD G4-WW	08952
79	CONNECTOR RGB 10-CP	19036	107	G9-33W STAR	18421	97	HANDLE H	26599	80	LEDS SET B-SE DBL	26325
79	CONNECTOR RGB 10-CPC	19037	107	G9-48W STAR	18422	92	HANDLE J/K	26595	81	LEDS SET B-SE SGL	26324
78	CONTROLLER LED RGB-IR	08041	107	G9-60W STAR	18423	93	HANDLE J/K	26595	82	LEDS SET S-DIM IR	26320
78	CONTROLLER LED RGB-IR20	18960	52	GIO LED G4 FL-NW	22663	97	HANDLE SIDE H	26600	83	LEDS SET S-DIM TS	26321
78	CONTROLLER LED RGB-RF	22140	52	GIO LED G4 FL-WW	22662	26	IDO 4,5W T SMD E14-NW	23383	84	LEDS SET W-SE ACCU	26322

85	LEDS SET W-SE BTRY	26323	88	PROFILO B 2m	26540	94	SHADE B/F-W 2M	26571	116	T2U-26W/4P 4000K	08961
74	LEDS-B 4.5W/M IP54-BL	24543	88	PROFILO B	19161	89	SHADE C/D/E-FR	19173	116	T2U-26W/K	10662
71	LEDS-B 4.8W/M IP00-CW	24518	89	PROFILO C	19162	90	SHADE C/D/E-FR	19173	121	T5-13W 2700K/65	12711
71	LEDS-B 4.8W/M IP00-NW	24517	89	PROFILO C 2M	26541	91	SHADE C/D/E-FR	19173	121	T5-13W 4000K/65	12716
71	LEDS-B 4.8W/M IP00-WW	24516	90	PROFILO D	19163	95	SHADE C/D/E-FR	19173	121	T5-14W 2700K/82	12712
72	LEDS-B 4.8W/M IP54-CW	24512	90	PROFILO D 2M	26542	89	SHADE CK C/D/E/I-FR	26576	121	T5-14W 4000K/82	12717
72	LEDS-B 4.8W/M IP54-NW	24511	91	PROFILO E	19164	90	SHADE CK C/D/E/I-FR	26576	121	T5-21W 2700K/82	12713
72	LEDS-B 4.8W/M IP54-WW	24510	91	PROFILO E 2M	26543	91	SHADE CK C/D/E/I-FR	26576	121	T5-21W 4000K/82	12718
73	LEDS-B 4.8W/M IP65-CW	24515	94	PROFILO F	26552	95	SHADE CK C/D/E/I-FR	26576	121	T5-28W 2700K/82	12714
73	LEDS-B 4.8W/M IP65-NW	24514	94	PROFILO F 2M	26553	89	SHADE CK C/D/E/I-FR2M	26577	121	T5-28W 4000K/82	12719
73	LEDS-B 4.8W/M IP65-WW	24513	96	PROFILO G	26558	90	SHADE CK C/D/E/I-FR2M	26577	121	T5-35W 2700K/82	12720
75	LEDS-B 7.2W/M IP00RGB	24530	96	PROFILO G 2M	26559	91	SHADE CK C/D/E/I-FR2M	26577	121	T5-35W 4000K/82	12722
75	LEDS-B 7.2W/M IP54RGB	24531	97	PROFILO H	26560	95	SHADE CK C/D/E/I-FR2M	26577	121	T5-49W 4000K/82	22410
75	LEDS-B 7.2W/M IP65RGB	24532	97	PROFILO H 2M	26561	89	SHADE CK C/D/E/I-W	26578	121	T5-54W 4000K/82	22412
76	LEDS-P 10W/M IP00 CW	24121	95	PROFILO I	26554	90	SHADE CK C/D/E/I-W	26578	121	T5-80W 4000K/82	22414
76	LEDS-P 10W/M IP00 WW	24120	95	PROFILO I 2M	26555	91	SHADE CK C/D/E/I-W	26578	121	T5-8W 2700K/65	12710
77	LEDS-P 10W/M IP54 CW	24123	95	PROFILO I-W	26556	95	SHADE CK C/D/E/I-W	26578	121	T5-8W 4000K/65	12715
77	LEDS-P 10W/M IP54 WW	24122	95	PROFILO I-W 2M	26557	89	SHADE CK C/D/E/I-W 2M	26579	119	T8 18W/830 WW	19920
76	LEDS-P 4W/M IP00-CW	24011	92	PROFILO J	26544	90	SHADE CK C/D/E/I-W 2M	26579	119	T8 18W/840 NW	19921
76	LEDS-P 4W/M IP00-WW	24010	92	PROFILO J 2M	26545	91	SHADE CK C/D/E/I-W 2M	26579	119	T8 18W/865 CW	19922
77	LEDS-P 4W/M IP54-CW	24013	92	PROFILO J-W	26546	95	SHADE CK C/D/E/I-W 2M	26579	119	T8 36W/830 WW	19923
77	LEDS-P 4W/M IP54-WW	24012	92	PROFILO J-W 2M	26547	96	SHADE CK G	26580	119	T8 36W/840 NW	19924
23	LUNI MAX E27 LED-WW	22572	93	PROFILO K	26548	96	SHADE CK G 2M	26581	119	T8 36W/865 CW	19925
22	LUNI PRO E27 LED-WW	22571	93	PROFILO K 2M	26549	92	SHADE J/K-FR	26564	119	T8 58W/830 WW	19926
105	MGH/CL 28W E14	24611	93	PROFILO K-W	26550	93	SHADE J/K-FR	26564	119	T8 58W/840 NW	19927
105	MGH/CL 28W E27	24610	93	PROFILO K-W 2M	26551	92	SHADE J/K-FR 2m	26566	119	T8 58W/865 CW	19928
105	MGH/CL 42W E14	24613	68	RANGO R7S SMD-NW	26420	93	SHADE J/K-FR 2m	26566	61	T8 LED GLASSv2 18W-CW	26060
105	MGH/CL 42W E27	24612	68	RANGO R7S SMD-WW	15098	92	SHADE J/K-W	26565	61	T8 LED GLASSv2 18W-NW	22655
124	MHE-250W/4200K	12755	12	RAPID MAXX LED E27-NW	23283	93	SHADE J/K-W	26565	61	T8 LED GLASSv2 18W-WW	22656
124	MHE-400W/4200K	12756	12	RAPID MAXX LED E27-WW	23282	92	SHADE J/K-W 2m	26567	61	T8 LED GLASSv2 24W-NW	22657
123	MHG-150W/4000K	08331	13	RAPID HI LED E27-NW	25401	93	SHADE J/K-W 2m	26567	61	T8 LED GLASSv2 9W-CW	22659
123	MHG-70W/4000K	08330	13	RAPID HI LED E27-WW	25400	97	SHADE-O H-W	26586	61	T8 LED GLASSv2 9W-NW	22654
122	MHR-150W/3000K	12751	10	RAPID LED E27-NW	22941	97	SHADE-O H-W 2M	26587	61	T8 LED GLASSv2 9W-WW	22658
122	MHR-70W/3000K	12750	10	RAPID LED E27-WW	22940	97	SHADE-U H-FR	26582	41	TEDI MAX LED GU10-CW	23411
65	MOD 12W LED-NW	25730	12	RAPID MAXX LED B22-CW	23285	97	SHADE-U H-FR 2M	26583	41	TEDI MAX LED GU10-WW	23410
65	MOD 12W LED-WW	25732	12	RAPID MAXX LED B22-WW	23284	97	SHADE-U H-W	26584	34	TOMI LED1,2W GU10-CW	22709
65	MOD 20W LED-NW	25731	11	RAPID PRO LED B22-CW	22953	97	SHADE-U H-W 2M	26585	34	TOMI LED1,2W GU10-NW	22822
65	MOD 20W LED-WW	25733	11	RAPID PRO LED B22-WW	22952	47	SIGO R39 LED E14-NW	22734	34	TOMI LED1,2W GU10-WW	22708
66	NIFO LED 14W E27-WW-W	26050	11	RAPID PRO LED E27-NW	22951	47	SIGO R39 LED E14-WW	22733	34	TOMI LED3W GU10-CW	22703
66	NIFO LED 20W E27-WW-W	26052	11	RAPID PRO LED E27-WW	22950	47	SIGO R50 LED E14-NW	22736	34	TOMI LED3W GU10-NW	22823
66	NIFO LED 22W E27-WW-W	26054	33	REMI GU10 SMD-CW	14947	47	SIGO R50 LED E14-WW	22735	34	TOMI LED3W GU10-WW	22702
29	NUPI FILLED 4W E14-WW	25411	33	REMI GU10 SMD-WW	14946	47	SIGO R63 LED E27-NW	22738	35	TOMI LED5W GU10-CW	22701
29	NUPI FILLED 4W E27-WW	25410	63	SAYA LED16 SMD E14-WW	22280	47	SIGO R63 LED E27-WW	22737	35	TOMI LED5W GU10-NW	22824
113	PL-L-24W/4P 4000K	22560	96	SEALINGS G	26602	95	SPRING I	26601	35	TOMI LED5W GU10-WW	22700
113	PL-L-36W/4P 4000K	22561	89	SHADE C/D/E/I-FR 2M	26573	16	ST64 FILLED 4W-WW	26040	45	TOMI LED5W MR16-CW	22705
37	PRO GU10 LED -7W-CW	24505	90	SHADE C/D/E/I-FR 2M	26573	16	ST64 FILLED 6W-WW	26041	45	TOMI LED5W MR16-WW	22704
37	PRO GU10 LED 7W-CW-W	24502	91	SHADE C/D/E/I-FR 2M	26573	88	STOPPER B	19181	35	TOMI LED7W GU10-CW	22820
37	PRO GU10 LED -7W-NW	24504	95	SHADE C/D/E/I-FR 2M	26573	89	STOPPER C	19182	35	TOMI LED7W GU10-NW	22825
37	PRO GU10 LED 7W-NW-W	24501	89	SHADE C/D/E-W	19174	90	STOPPER D	19183	35	TOMI LED7W GU10-WW	22821
38	PRO GU10 LED -7WS3-CW	24672	90	SHADE C/D/E-W	19174	91	STOPPER E	19184	45	TOMI LED7W MR16-CW	22707
38	PRO GU10 LED -7WS3-NW	24671	91	SHADE C/D/E-W	19174	94	STOPPER F	26590	45	TOMI LED7W MR16-WW	22706
38	PRO GU10 LED -7WS3-WW	24670	95	SHADE C/D/E-W	19174	96	STOPPER G	26592	17	TRIColor E27	22911
38	PRO GU10 LED -7WS6-CW	24675	89	SHADE C/D/E/I-W 2M	26575	95	STOPPER I	26591	42	TRIColor LED GU10	22910
38	PRO GU10 LED -7WS6-NW	24674	90	SHADE C/D/E/I-W 2M	26575	95	STOPPER I-W	26603	18	WIDE LED E27-NW	22862
38	PRO GU10 LED -7WS6-WW	24673	91	SHADE C/D/E/I-W 2M	26575	92	STOPPER J	26588	18	WIDE LED E27-WW	22863
37	PRO GU10 LED -7W-WW	24503	95	SHADE C/D/E/I-W 2M	26575	92	STOPPER J-W	26605	25	ZIPI FILLED 2W E14-WW	22466
37	PRO GU10 LED 7W-WW-W	24500	87	SHADE A-FR	19170	93	STOPPER K	26589	25	ZIPI FILLED 4W E14-WW	22469
39	PRODIM GU10-7,5W-CW	24662	88	SHADE B-FR	19172	93	STOPPER K-W	26606	53	ZUBI LED 2,5W G4-WW	24523
39	PRODIM GU10-7,5W-NW	24661	94	SHADE B-FR	19172	97	STOPPER-O H	26594	50	ZUBI LED 3,5W G9-CW	24521
39	PRODIM GU10-7,5WS6-CW	24665	88	SHADE B/F-FR 2M	26570	97	STOPPER-U H	26593	50	ZUBI LED 3,5W G9-WW	24520
39	PRODIM GU10-7,5WS6-NW	24664	94	SHADE B/F-FR 2M	26570	116	T1U-11W/K	10672	50	ZUBI MAX LED3,5WG9-WW	24522
39	PRODIM GU10-7,5WS6-WW	24663	88	SHADE B-W	19171	116	T1U-9W/K	10671			
39	PRODIM GU10-7,5W-WW	24660	94	SHADE B/F-W	26569	116	T2U-18W/4P 4000K	08963			
87	PROFILO A	26650	88	SHADE B/F-W 2M	26571	116	T2U-18W/K	10661			

# Kanlux

**Kanlux SA**

ul. Objazdowa 1-3, 41-922 Radzionków  
**Polska**  
tel. +48 32 388 74 00, fax +48 32 388 74 99  
e-mail: kanlux@kanlux.pl  
www.kanlux.pl

**Kanlux s.r.o.**

Sadová 618, 738 01 Frýdek-Místek  
**Česká Republika**  
tel. +420 558 402 511, 603 504 218, fax +420 558 694 250  
e-mail: kanlux.cz@kanlux.cz  
www.kanlux.cz

**Kanlux s.r.o.**

M.R. Stefánika 379/19, 911 01 Trenčín  
**Slovenská Republika**  
tel. +421 327 446 385-6, fax +421 327 446 387  
e-mail: kanlux.sk@kanlux.sk  
www.kanlux.sk

**Kanlux Kft.**

9026 Győr, Bácsai út 153/b  
**Hungary**  
tel. +36 96 525-467, fax +36 96 319-420  
e-mail: info@kanlux.hu  
www.kanlux.hu

**ТОВ Канлюкс**

08130, Київська область, Києво-Святошинський район,  
с.Петропавлівська Борщагівка, вул. Соборна, будинок 1-Б, офіс 617  
**Україна**  
тел. +38 (044) 585 33 19, факс +38 (44) 585 33 18  
e-mail: kanlux\_ua@kanlux.com  
www.kanlux.com

**ООО Канлюкс-Электромонтаж**

142100, Московская область, г. Подольск, ул. Комсомольская, д.1,  
**Российская Федерация**  
тел. +7 495 984 82 60  
e-mail: russia@kanlux.com  
www.kanlux.com

**Kanlux EOOD**

Warehouse area Gopet Logistics, 1532 Kazichene, Sofia  
**Bulgaria**  
ph. +359 2 421 96 24, fax +359 2 421 96 23  
e-mail: kanlux.bg@kanlux.com  
www.kanlux.bg

**Kanlux GmbH**

Flugplatz 21, 44319 Dortmund  
**Deutschland**  
Tel. +49 231 56557255, Fax +49 231 56557256  
e-mail: kanlux.gmbh@kanlux.com  
www.kanlux.com

**Kanlux Lighting SRL**

Intrarea Binelui 1A, Sector 4, 042159 Bucuresti  
**Romania**  
ph. +40 371 474 133  
e-mail: comenzi@kanlux.com  
www.kanlux.com

GET IT ON  
Google Play



Download on the  
App Store



## LAW NOTICE

This publication has been prepared by Kanlux SA. Through the continuous improvement of its offer and adaptation of it to market and legal requirements, Kanlux SA reserves the right to make changes in its product mix. This publication is not an offer within the meaning of the Civil Code. Actual products may differ from illustrative photos and drawings included in the publication. All of the data contained in the publication is in force on the date of printing i.e. 20 th JUNE 2017. Kanlux SA shall not be liable for the non-availability of products listed in this publication. Kanlux SA also shall not be liable for any direct, indirect, accidental or any other damages (including, but not limited to, lost profits, lost revenues or similar economic losses) arising out of the use of information contained in this publication. Kanlux SA reserves the right for errors and changes in print.

